

Anti-Eosinophil derived neurotoxin antibody ab103428

画像数 2

製品の概要

製品名	Anti-Eosinophil derived neurotoxin antibody
製品の詳細	Rabbit polyclonal to Eosinophil derived neurotoxin
由来種	Rabbit
アプリケーション	適用あり: WB
種交差性	交差種: Human
免疫原	Recombinant full length protein within Human Eosinophil derived neurotoxin aa 1-200. The exact immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please contact our Scientific Support team to discuss your requirements.
ポジティブ・コントロール	Human spleen tissue lysate; Eosinophil derived neurotoxin transfected 293T cell lysate
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
バッファー	pH: 7.40 Constituent: 100% PBS
精製度	Protein A purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee

Abpromise保証は、次のテスト済みアプリケーションにおけるab103428の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


アプリケーション	Abreviews	特記事項
WB		1/500 - 1/1000. Predicted molecular weight: 18 kDa.

ターゲット情報

関連性 Eosinophil derived neurotoxin (EDN) is a protein belonging to the ribonuclease (RNase) A superfamily. It has recently been found to have antiviral activity against respiratory syncytial virus and human immunodeficiency virus in vitro.


細胞内局在 Lysosome (Probable). Cytoplasmic granule. Matrix of eosinophil's large specific granule.

画像



Anti-Eosinophil derived neurotoxin antibody (ab103428) at 1/500 dilution + Human spleen tissue lysate at 50 µg

Predicted band size: 18 kDa



All lanes : Anti-Eosinophil derived neurotoxin antibody (ab103428) at 1/500 dilution

Lane 1 : Eosinophil derived neurotoxin transfected 293T cell lysate

Lane 2 : Non-transfected 293T cell lysate

Lysates/proteins at 25 µg per lane.

Predicted band size: 18 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors