abcam

Product datasheet

FITC Anti-CD63 antibody [AD1] ab108949

1 References 画像数 1

製品の概要

製品名 FITC Anti-CD63 antibody [AD1]

製品の詳細 FITC Mouse monoclonal [AD1] to CD63

由来種 Mouse

標識 FITC. Ex: 493nm, Em: 528nm

特異性 Rat CD63 is expressed on mast cells, and studies using clone AD1, have shown that it is located

near to FcER1, and that clone AD1 partially inhibits IgE-mediated histamine release

アプリケーション 適用あり: Flow Cyt

種交差性 交差種: Rat

免疫原 Tissue, cells or virus corresponding to Rat CD63. RBL-2H3 rat basophilic leukaemia cell line.

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

パッファー Preservative: 0.09% Sodium azide

Constituents: PBS, 1% BSA

精製度 Protein G purified

ポリ/モノ モノクローナル

クローン名 AD1

₹I□-**₹** x63-Ag8.653

アイソタイプ IgG1

1


The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab108949の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|--|
| Flow Cyt | | Use at an assay dependent concentration. <u>ab91356</u> - Mouse monoclonal lgG1, is suitable for use as an isotype control with this antibody. |

ターゲット情報

| 機能 | This antigen is associated with early stages of melanoma tumor progression. May play a role in growth regulation. |
|-------|--|
| 組織特異性 | Dysplastic nevi, radial growth phase primary melanomas, hematopoietic cells, tissue macrophages. |
| 配列類似性 | Belongs to the tetraspanin (TM4SF) family. |
| 細胞内局在 | Cell membrane. Lysosome membrane. Late endosome membrane. Also found in Weibel-Palade bodies of endothelial cells. Located in platelet dense granules. |

画像



ab108949 detecting CD63 in Rat peripheral blood platelets by Flow Cytometric analysis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors