

# FITC Anti-GITR antibody [DTA-1] ab72404

**1 References** [画像数 1](#)

### 製品の概要

製品名	FITC Anti-GITR antibody [DTA-1]
製品の詳細	FITC Rat monoclonal [DTA-1] to GITR
由来種	Rat
標識	FITC. Ex: 493nm, Em: 528nm
アプリケーション	<b>適用あり:</b> Flow Cyt
種交差性	<b>交差種:</b> Mouse
免疫原	Tissue, cells or virus corresponding to TNFSF18/GITRL. Mouse CD25+ CD4+ T cell line.
ポジティブ・コントロール	Flow Cyt: Mouse splenocytes.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C. Do Not Freeze. Store In the Dark.
バッファー	<p>pH: 8.00</p> <p>Preservative: 0.05% Sodium azide</p> <p>Constituents: 0.88% Sodium chloride, 0.12% Tris, 0.05% BSA</p>
精製度	Affinity purified
ポリ/モノ	モノクローナル
クローン名	DTA-1
アイソタイプ	IgG2b
軽鎖の種類	lambda

## アプリケーション


**The Abpromise guarantee**      Abpromise保証は、次のテスト済みアプリケーションにおけるab72404の使用に適用されます  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		Use at an assay dependent concentration. <b>ab136125</b> - Rat monoclonal IgG2b, is suitable for use as an isotype control with this antibody.

## ターゲット情報

機能	Receptor for TNFSF18. Seems to be involved in interactions between activated T-lymphocytes and endothelial cells and in the regulation of T-cell receptor-mediated cell death. Mediated NF-kappa-B activation via the TRAF2/NIK pathway.
組織特異性	Expressed in lymph node, peripheral blood leukocytes and weakly in spleen.
配列類似性	Contains 3 TNFR-Cys repeats.
細胞内局在	Secreted and Cell membrane.

## 画像



C57Bl/6 splenocytes stained with PE-conjugated anti-mouse CD4, APC-conjugated anti-mouse CD25 and 0.06 µg ab72404.

Cells in the CD4+ lymphocyte gate are shown.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

#### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors