abcam

Product datasheet

FITC Anti-Influenza A Virus antibody ab20388

2 References

製品の概要

製品名 FITC Anti-Influenza A Virus antibody

製品の詳細 FITC Goat polyclonal to Influenza A Virus

由来種 Goat

標識 FITC. Ex: 493nm, Em: 528nm

特異性 Purified virions. Specific to H1N1 by IHA. Does not react with HEp-2 cells. May cross-react with

Chicken cellular proteins. Does not cross-react with Influenza B, RSV, Para 1-3 or Adenovirus.

アプリケーション 適用あり: ICC/IF, IHC-P

種交差性 交差種: Influenza A

免疫原 Tissue, cells or virus corresponding to Influenza A Virus. Strain: A/USSR/90/77 (H1N1)

特記事項 Keep in the dark.

Covalently coupled with high purity Isomer I of fluorescein isothiocyanate. Care is taken to ensure

complete removal of any free fluorescein from the final product.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C. Store In the Dark.

バッファー pH: 7.20

Preservative: 0.1% Sodium azide Constituents: 0.411% PBS, 1% BSA

特記事項(精製) Purified IgG covalently coupled with high purity Isomer I of fluorescein isothiocyanate. Care is

taken to ensure complete removal of any free fluorescein from the final product.

ポリ/モノ ポリクローナル

1

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab20388の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|------|
| ICC/IF | | |
| IHC-P | | |

追加情報

IF: 1/10 - 1/50. Acetone fixation of the antigen source is recommended prior to staining.

IHC-P: Use at an assay dependent dilution.

Not tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

ターゲット情報

関連性 Influenza A and B are the two types of influenza viruses that cause epidemic human disease.

Influenza type C infections cause a mild respiratory illness and are not thought to cause

epidemics. Influenza A viruses are further categorized into subtypes on the basis of two surface antigens: hemagglutinin (H) and neuraminidase (N). Strains are also described by geographic

origin, strain number and year of isolation.

細胞内局在 Nuclear

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors