

Anti-FKBP51 antibody [Hi51B] ab79844

KO 評価済

[1 References](#) [画像数 2](#)

製品の概要

製品名	Anti-FKBP51 antibody [Hi51B]
製品の詳細	Mouse monoclonal [Hi51B] to FKBP51
由来種	Mouse
アプリケーション	適用あり: ICC/IF, WB
種交差性	交差種: Mouse, Human
免疫原	Full length Human FKBP51, binding epitope in TPR domain
ポジティブ・コントロール	WB: HeLa whole cell lysate (ab150035), rat kidney and rat and mouse testes tissue lysates.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
バッファー	Preservative: 0.09% Sodium azide Constituents: PBS, 50% Glycerol (glycerin, glycerine)
精製度	Immunogen affinity purified
ポリ/モノ	モノクローナル
クローン名	Hi51B
アイソタイプ	IgG1

アプリケーション

The Abpromise guarantee

Abpromise保証は、次のテスト済みアプリケーションにおけるab79844の使用に適用されます


アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		1/100.
WB		1/2000. Predicted molecular weight: 51 kDa.

ターゲット情報


機能	Interacts with functionally mature heterooligomeric progesterone receptor complexes along with HSP90 and TEBP.
組織特異性	Widely expressed, enriched in testis compared to other tissues.
配列類似性	Contains 2 PPlase FKBP-type domains. Contains 3 TPR repeats.
翻訳後修飾	Phosphorylated upon DNA damage, probably by ATM or ATR.
細胞内局在	Cytoplasm. Nucleus.

画像



Immunocytochemistry/ Immunofluorescence - Anti-FKBP51 antibody [Hi51B] (ab79844)

ab79844 at 1/100 dilution staining FKBP51 in normal mouse MK cells (IF localization shown in red) by Immunocytochemistry/ immunofluorescence.



Western blot - Anti-FKBP51 antibody [Hi51B] (ab79844)

Lane 1: Wild-type HAP1 whole cell lysate (20 µg)

Lane 2: FKBP51 knockout HAP1 whole cell lysate (20 µg)

Lane 3: HeLa whole cell lysate (20 µg)

Lane 4: HepG2 whole cell lysate (20 µg)

Lanes 1 - 4: Merged signal (red and green). Green - ab79844 observed at 51 kDa. Red - loading control, **ab181602**, observed at 37 kDa.

ab79844 was shown to recognize FKBP51 in wild-type HAP1 cells as signal was lost at the expected MW in FKBP51 knockout cells. Additional cross-reactive bands were observed in the wild-type and knockout cells. Wild-type and FKBP51 knockout samples were subjected to SDS-PAGE. ab79844 and **ab181602** (Rabbit anti-GAPDH loading control) were incubated overnight at 4°C at 1/2000

dilution and 1/20000 dilution respectively. Blots were developed with Goat anti-Mouse IgG H&L (IRDye® 800CW) preabsorbed **ab216772** and Goat anti-Rabbit IgG H&L (IRDye® 680RD) preabsorbed **ab216777** secondary antibodies at 1/20000 dilution for 1 hour at room temperature before imaging.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors