

Anti-FOXI3 antibody ab113424

画像数 2

製品の概要

製品名	Anti-FOXI3 antibody
製品の詳細	Goat polyclonal to FOXI3
由来種	Goat
アプリケーション	適用あり: WB
種交差性	交差種: Mouse, Rat
免疫原	Synthetic peptide: RLRVSGKLEGDSPS by a Cysteine residue linker, corresponding to internal sequence amino acids 247-260 of Mouse FOXI3 (NP_001094934.1).

 [Run BLAST with](#)

 [Run BLAST with](#)

ポジティブ・コントロール Mouse and Rat skin lysates.

特記事項
The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	pH: 7.30 Preservative: 0.02% Sodium azide Constituents: 99% Tris buffered saline, 0.5% BSA
精製度	Immunogen affinity purified
特記事項 (精製)	ab113424 was purified from Goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション


The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab113424の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 1 - 3 µg/ml. Detects a band of approximately 37 kDa (predicted molecular weight: 42 kDa). Primary incubation time: 1 hour.

ターゲット情報

機能	Possible transcriptional factor.
配列類似性	Contains 1 fork-head DNA-binding domain.
細胞内局在	Nucleus.


画像



Anti-FOXI3 antibody (ab113424) at 1 µg/ml + Rat Skin lysate (35µg protein in RIPA buffer)

Predicted band size: 42 kDa

Detected by chemiluminescence.



Anti-FOXI3 antibody (ab113424) at 1 µg/ml + Mouse Skin lysate (in RIPA buffer) at 35 µg

Developed using the ECL technique.

Predicted band size: 42 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors