

### Anti-FOXK1/MNF antibody ab84759

画像数 2

#### 製品の概要

製品名	Anti-FOXK1/MNF antibody
製品の詳細	Rabbit polyclonal to FOXK1/MNF
由来種	Rabbit
アプリケーション	適用あり: IHC-P
種交差性	交差種: Mouse, Human 交差が予測される動物種: Horse, Guinea pig, Cow, Pig, Chimpanzee, Rhesus monkey, Gorilla 
免疫原	Synthetic peptide corresponding to Human FOXK1/MNF aa 683-733. Database link: <a href="#">NP_001032242.1</a>
ポジティブ・コントロール	Human breast carcinoma, colon carcinoma, ovarian carcinoma, prostate carcinoma, small cell lung cancer, stomach adenocarcinoma. Mouse renal cell carcinoma, teratoma.
特記事項	<p>Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg/ml of IgG.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	pH: 6.8 Preservative: 0.09% Sodium azide Constituents: 0.1% BSA, Tris buffered saline
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル

## アプリケーション


The Abpromise guarantee **Abpromise保証は、次のテスト済みアプリケーションにおけるab84759の使用に適用されます**  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-P		1/100 - 1/500.

## ターゲット情報


機能	Transcriptional regulator that binds to the upstream enhancer region (CCAC box) of myoglobin gene. Has a role in myogenic differentiation and in remodeling processes of adult muscles that occur in response to physiological stimuli.
組織特異性	Expressed both developing and adult tissues. In adults, significant expression is seen in tumors of the brain, colon and lymph node.
配列類似性	Contains 1 FHA domain. Contains 1 fork-head DNA-binding domain.
細胞内局在	Nucleus.

## 画像



Detection of Human FOXK1/MNF by  
Immunohistochemistry. Sample: FFPE section of Human colon  
carcinoma. Antibody: ab84759 used at a dilution of 1/500. Detection:  
DAB staining.

Immunohistochemistry (Formalin/PFA-fixed paraffin-  
embedded sections) - Anti-FOXK1/MNF antibody  
(ab84759)



Detection of Mouse FOXK1/MNF by Immunohistochemistry. Sample: FFPE section of Mouse renal cell carcinoma. Antibody: ab84759 used at a dilution of 1/500. Detection: DAB staining.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-FOXK1/MNF antibody (ab84759)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors