


# Anti-General Receptor for phosphoinositides 1/GRASP antibody [EP394Y] ab33886

リコンビナント **RabMAb**

## 1 References [画像数 2](#)

### 製品の概要

|              |  |
|--------------|--|
| 製品名          | Anti-General Receptor for phosphoinositides 1/GRASP antibody [EP394Y]  |
| 製品の詳細        | Rabbit monoclonal [EP394Y] to General Receptor for phosphoinositides 1/GRASP   |
| 由来種          | Rabbit   |
| アプリケーション     | <b>適用あり:</b> WB<br><b>適用なし:</b> Flow Cyt, ICC/IF, IHC or IP  |
| 種交差性         | <b>交差種:</b> Human<br><b>交差が予測される動物種:</b> Mouse, Rat   |
| 免疫原          | Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.  |
| ポジティブ・コントロール | Human brain lysate.  |
| 特記事項         | This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none"> <li>- High batch-to-batch consistency and reproducibility</li> <li>- Improved sensitivity and specificity</li> <li>- Long-term security of supply</li> <li>- Animal-free production</li> </ul> For more information <a href="#">see here</a> .<br>Our RabMAb <sup>®</sup> technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <a href="#">RabMAb<sup>®</sup> patents</a> . |

### 製品の特性

|       |  |
|-------|--|
| 製品の状態 | Liquid   |
| 保存方法  | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.                                |
| バッファー | pH: 7.20<br>Preservative: 0.01% Sodium azide<br>Constituents: 49% PBS, 50% Glycerol (glycerin, glycerine), 0.05% BSA |
| 精製度   | Protein A purified   |
| ポリ/モノ | モノクローナル  |
| クローン名 | EP394Y   |

アイソタイプlgG

アプリケーション

The Abpromise guarantee      Abpromise保証は、次のテスト済みアプリケーションにおけるab33886の使用に適用されます  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


| アプリケーション | Abreviews | 特記事項  |
|----------|-----------|---|
| WB       |           | 1/500. Detects a band of approximately 45 kDa (predicted molecular weight: 44 kDa). |

追加情報      Is unsuitable for Flow Cyt, ICC/IF, IHC or IP.

ターゲット情報

|       |  |
|-------|--|
| 機能    | Plays a role in intracellular trafficking and contributes to the macromolecular organization of group 1 metabotropic glutamate receptors (mGluRs) at synapses. |
| 配列類似性 | Contains 1 PDZ (DHR) domain.   |
| 細胞内局在 | Cytoplasm > perinuclear region. Cell membrane. Cell junction > synapse > postsynaptic cell membrane. Localized at postsynaptic membranes.                      |

画像



Anti-General Receptor for phosphoinositides 1/GRASP antibody [EP394Y] (ab33886) at 1/500 dilution + Human brain lysate

**Predicted band size:** 44 kDa  
**Observed band size:** 45 kDa

Why choose a recombinant antibody?



**Research with confidence**  
Consistent and reproducible results



**Long-term and scalable supply**  
Recombinant technology



**Success from the first experiment**  
Confirmed specificity



**Ethical standards compliant**  
Animal-free production

Anti-General Receptor for phosphoinositides  
1/GRASP antibody [EP394Y] (ab33886)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors