# abcam

# Product datasheet

# Anti-GLUT-7 antibody ab122604

★★★★★ 1 Abreviews 画像数 1

### 製品の概要

製品名 Anti-GLUT-7 antibody

製品の詳細 Rabbit polyclonal to GLUT-7

由来種 Rabbit

アプリケーション **適用あり**: IHC-P

種交差性 交差種: Human

免疫原 Recombinant fragment corresponding to Human GLUT-7 aa 43-73.

Sequence:

SVVNTPHKVFKSFYNETYFERHATFMDGKLM

Run BLAST with
Run BLAST with

ポジティブ・コントロール

Human Liver tissue.

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at -20°C or -80°C. Avoid freeze / thaw cycle. Store undiluted.

**バッファー** pH: 7.20

Preservative: 0.02% Sodium azide

Constituents: 49% PBS, 50% Glycerol (glycerin, glycerine)

精製度 Immunogen affinity purified

**ポリ/モノ** ポリクローナル

アイソタイプ lgG


# The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab122604の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-P		1/10 - 1/20. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

### ターゲット情報

機能	High-affinity transporter for glucose and fructose Does not transport galactose, 2-deoxy-d-glucose and xylose.
組織特異性	Expressed in small intestine and colon. Weakly expressed in testis and prostate.
配列類似性	Belongs to the major facilitator superfamily. Sugar transporter (TC 2.A.1.1) family. Glucose transporter subfamily.
細胞内局在	Membrane.

## 画像



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-GLUT-7 antibody (ab122604)

ab122604, at 1/10 dilution, staining GLUT-7 in Paraffin-embedded Human Liver tissue by Immunohistochemistry.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors