abcam

Product datasheet

Anti-H-FABP antibody [66E2] ab16915

8 References 画像数 1

製品の概要

製品名 Anti-H-FABP antibody [66E2]

製品の詳細 Mouse monoclonal [66E2] to H-FABP

由来種 Mouse

特異性 ab16915 binds to H-FABP and shows no cross reactivity to human intestinal or liver FABP

 アプリケーション
 適用あり: IHC-Fr

 種交差性
 交差種: Human

交差が予測される動物種: Mouse, Rat, Pig

免疫原 Full length native protein (purified) corresponding to Human H-FABP.

ポジティブ・コントロール Heart cells, or recombinant H-FABP

特記事項

This antibody can be used to detect ischemia areas of human heart. It is also useful as marker for

brain damage.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

ארע"א Preservative: 0.02% Sodium azide

Constituents: PBS, 0.1% BSA

精製度 Protein G purified

特記事項(精製) Provided as a 0.2µm filtered antibody solution.

一次抗体 備考 This antibody can be used to detect ischemia areas of human heart. It is also useful as marker for

brain damage.

1

ポリ/モノ モノクローナル

クローン名 66E2

アイソタイプ lgG1

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab16915の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-Fr		Use at an assay dependent concentration.

ターゲット情報

機能 FABP are thought to play a role in the intracellular transport of long-chain fatty acids and their acyl-


CoA esters.

配列類似性 Belongs to the calycin superfamily. Fatty-acid binding protein (FABP) family.

ドメイン Forms a beta-barrel structure that accommodates the hydrophobic ligand in its interior.

細胞内局在 Cytoplasm.

画像



Immunohistochemistry (Frozen sections) - Anti-H-FABP antibody [66E2] (ab16915)

Immunohistochemical staining of H-FABP in human skeletal muscle tissue.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors