

Anti-HAPLN2 antibody ab124504

★★★★★ **1 Abreviews** [画像数 3](#)

製品の概要

製品名	Anti-HAPLN2 antibody
製品の詳細	Rabbit polyclonal to HAPLN2
由来種	Rabbit
アプリケーション	適用あり: ICC/IF, IHC-P, WB
種交差性	交差種: Human
免疫原	A 12 amino acid synthetic peptide from near the center of Human HAPLN2 (NP_068589).
ポジティブ・コントロール	Human brain tissue lysate; Human brain tissue
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
バッファー	<p>pH: 7.2</p> <p>Preservative: 0.02% Sodium azide</p> <p>Constituent: 99% PBS</p>
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee

Abpromise保証は、 次のテスト済みアプリケーションにおけるab124504の使用に適用されます


アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
ICC/IF		Use a concentration of 20 µg/ml.
IHC-P		Use a concentration of 2.5 µg/ml.
WB	★★★★★ (1)	Use a concentration of 1 - 2 µg/ml. Predicted molecular weight: 37 kDa.

ターゲット情報

機能	Mediates a firm binding of versican V2 to hyaluronic acid. May play a pivotal role in the formation of the hyaluronan-associated matrix in the central nervous system (CNS) which facilitates neuronal conduction and general structural stabilization. Binds to hyaluronic acid.
組織特異性	Expressed only in adult brain.
配列類似性	Belongs to the HAPLN family. Contains 1 Ig-like V-type (immunoglobulin-like) domain. Contains 2 Link domains.
細胞内局在	Secreted > extracellular space > extracellular matrix.

画像




Lane 1 : Anti-HAPLN2 antibody (ab124504) at 1 µg/ml

Lane 2 : Anti-HAPLN2 antibody (ab124504) at 2 µg/ml

All lanes : Human brain tissue lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 37 kDa



ab124504, at 2.5 µg/ml, staining HAPLN2 in paraffin-embedded Human brain tissue by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-HAPLN2 antibody (ab124504)

Immunocytochemistry/ Immunofluorescence - Anti-HAPLN2 antibody (ab124504)

Immunofluorescence of BRAL1 in Human Brain cells using ab124504 at 20 ug/ml.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors