# abcam

## Product datasheet

## Anti-Hemopexin antibody ab48135

## 画像数1

#### 製品の概要

製品名 Anti-Hemopexin antibody

製品の詳細 Rabbit polyclonal to Hemopexin

由来種 Rabbit

アプリケーション 適用あり: Sandwich ELISA

種交差性 交差種: Human

免疫原 Full length native protein (purified) (Human)

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

**バッファー** pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 49.98% PBS, 50% Glycerol (glycerin, glycerine)

精製度 Protein G purified

**ポリ/モノ** ポリクローナル

アイソタイプ lgG

#### アプリケーション


**The Abpromise guarantee** <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab48135の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Sandwich ELISA		Use a concentration of 0.5 µg/ml. Can be paired for Sandwich ELISA with Mouse monoclonal [32] to Hemopexin (ab27711). For sandwich ELISA, use this antibody as Detection at 0.5 µg/ml with Mouse monoclonal [32] to Hemopexin (ab27711) as Capture.

#### ターゲット情報

機能	Binds heme and transports it to the liver for breakdown and iron recovery, after which the free hemopexin returns to the circulation.	
組織特異性	Expressed by the liver and secreted in plasma.	
配列類似性	Belongs to the hemopexin family.  Contains 5 hemopexin-like domains.	
翻訳後修飾	N- and O-glycosylated. O-glycosylated with core 1 or possibly core 8 glycans.	
細胞内局在	Secreted.	

#### 画像



Standard Curve for Hemopexin (Analyte: <u>Hemopexin protein</u> (<u>ab98988</u>)); dilution range 1pg/ml to 1µg/ml using Capture Antibody <u>Mouse monoclonal [32] to Hemopexin (ab27711)</u> at 5µg/ml and Detector Antibody <u>Rabbit polyclonal to Hemopexin (ab48135)</u> at 0.5µg/ml.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

## Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors