

Anti-Hepatitis C Virus E2 antibody ab20044

1 References [画像数 1](#)

製品の概要

製品名	Anti-Hepatitis C Virus E2 antibody
製品の詳細	Goat polyclonal to Hepatitis C Virus E2
由来種	Goat
アプリケーション	適用あり: ELISA, WB
種交差性	交差種: Hepatitis C virus
免疫原	Recombinant full length E2 (genotype 1a) protein.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
バッファー	Preservative: 0.1% Sodium azide Constituent: 0.0268% PBS
精製度	Ion Exchange Chromatography
特記事項 (精製)	>95% pure. Sodium sulfate precipitation and ion-exchange chromatography.
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee **Abpromise保証は、**次のテスト済みアプリケーションにおけるab20044の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ELISA		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration. Predicted molecular weight: 70 kDa.


ターゲット情報

関連性

Hepatitis C E2 is a virus envelope glycoprotein which forms a heterodimer with the E1 protein. E2 inhibits human EIF2AK2/PKR activation, preventing the establishment of an antiviral state. E2 is a viral ligand for CD209/DC-SIGN and CLEC4M/DC-SIGNR, which are respectively found on dendritic cells (DCs), and on liver sinusoidal endothelial cells and macrophage-like cells of lymph node sinuses. These interactions allow capture of circulating HCV particles by these cells and subsequent transmission to permissive cells. DCs are professional antigen presenting cells, critical for host immunity by inducing specific immune responses against a broad variety of pathogens. They act as sentinels in various tissues where they entrap pathogens and convey them to local lymphoid tissue or lymph node for establishment of immunity. Capture of circulating HCV particles by these SIGN+ cells may facilitate virus infection of proximal hepatocytes and lymphocyte subpopulations and may be essential for the establishment of persistent infection.

細胞内局在 Viral envelope protein.

画像



ELISA - Anti-Hepatitis C Virus E2 antibody
(ab20044)

Image from Takayama H et al., PLoS One. 2008 Jun 4;3(6):e2314. doi: 10.1371/journal.pone.0002314.; Fig 5.; June 4, 2008, PLoS ONE 3(6): e2314.

ELISA analysis of Hepatitis C Virus E2 binding to CD81 receptor, using ab20044 to detect Hepatitis C Virus E2 binding.

A 96-well plate was coated with 100 ng of rho-1D4 antibody. Following overnight incubation at 4°C, the unbound antibody was washed away. The wells were blocked with blocking solution for 2 hours. 100 ng of purified CD81 was added to the wells along with E2 glycoprotein (0.4 to 20 nM) and incubated for 2 hours. ab20044 anti-Hepatitis C Virus E2 antibody (1/2000 dilution) and secondary antibody with alkaline phosphatase conjugate (1/1000 dilution) were added and incubated for 2 hours. Absorbance was measured at 495 nm by a plate-reader.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors