

Anti-HIGD1A antibody ab117456

★★★★★ [2 Abreviews](#) [画像数 3](#)

製品の概要

製品名	Anti-HIGD1A antibody
製品の詳細	Rabbit polyclonal to HIGD1A
由来種	Rabbit
特異性	ab117456 is predicted to not cross-react with HIG2.
アプリケーション	適用あり: ICC/IF, ICC, WB
種交差性	交差種: Human
免疫原	Synthetic peptide corresponding to 19 amino acids near the N terminal of Human HIGD1A (NP_001093138).
ポジティブ・コントロール	293 cell lysate.
特記事項	<p>Avoid repeated freeze thaw cycles and exposure to prolonged high temperatures.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
バッファー	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: 99% PBS
精製度	Immunogen affinity purified
特記事項(精製)	ab117456 was purified by affinity chromatography via a peptide column.
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee **Abpromise保証は、次のテスト済みアプリケーションにおけるab117456の使用に適用されます**
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


アプリケーション	Abreviews	特記事項
ICC/IF		Use a concentration of 20 µg/ml.
ICC		Use a concentration of 2.5 µg/ml.
WB	★☆☆☆☆ (2)	Use a concentration of 0.5 - 1 µg/ml. Predicted molecular weight: 12 kDa.

ターゲット情報

配列類似性 Contains 1 HIG1 domain.

細胞内局在 Membrane.

画像




Lane 1 : Anti-HIGD1A antibody (ab117456) at 0.5 µg/ml

Lane 2 : Anti-HIGD1A antibody (ab117456) at 1 µg/ml

All lanes : 293 cell lysate


Lysates/proteins at 15 µg per lane.

Predicted band size: 12 kDa



Immunofluorescence of HIGD1A in 293 cells tissue with ab117456 at 10 ug/mL.

Immunocytochemistry/ Immunofluorescence - Anti-HIGD1A antibody (ab117456)



Immunocytochemical analysis of 293 cells, staining HIGD1A with ab117456 at 2.5 µg/ml.

Immunocytochemistry - Anti-HIGD1A antibody (ab117456)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors