abcam

Product datasheet

HRP Anti-C Reactive Protein antibody [C6] ab24462

4 References

製品の概要

製品名 HRP Anti-C Reactive Protein antibody [C6]

製品の詳細 HRP Mouse monoclonal [C6] to C Reactive Protein

由来種 Mouse 標識 HRP

アプリケーション 適用あり: ELISA, Sandwich ELISA

種交差性 交差種: Human

免疫原 Full length native protein (purified) (Human)

特記事項 Specific antibody titer in ELISA is > 10⁻⁶.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

バッファー pH: 7.40

Preservative: 0.05% Proclin 300

Constituents: 0.8% Sodium chloride, 0.02% Potassium chloride, 0.18% Dibasic monohydrogen

sodium phosphate, 0.024% Monobasic dihydrogen potassium phosphate

精製度 Protein A purified

ポリ/モノ モノクローナル

クローン名 C6 ミ**エローマ** Sp2/0 アイソタイプ IgG2a **The Abpromise guarantee** <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab24462の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------------|-----------|------|
| ELISA | | |
| Sandwich ELISA | | |

追加情報 ELISA: Use at an assay dependent dilution.

sELISA: Use at an assay dependent dilution. Can be paired for ELISA with <u>Mouse monoclonal</u> [C5] to C Reactive Protein (ab8279) and <u>Mouse monoclonal</u> [C7] to C Reactive Protein (ab8280).

Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

ターゲット情報

機能
Displays several functions associated with host defense: it promotes agglutination, bacterial capsular swelling, phagocytosis and complement fixation through its calcium-dependent binding to phosphorylcholine. Can interact with DNA and histones and may scavenge nuclear material released from damaged circulating cells.

和機特異性
Found in plasma.

Belongs to the pentaxin family.
Contains 1 pentaxin domain.

和胞内局在
Secreted.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors