

Anti-LDH-C antibody [EP1567Y] ab75999

リコンビナント RabMAb

画像数 2

製品の概要

| | |
|--------------|--|
| 製品名 | Anti-LDH-C antibody [EP1567Y] |
| 製品の詳細 | Rabbit monoclonal [EP1567Y] to LDH-C |
| 由来種 | Rabbit |
| アプリケーション | 適用あり: WB 適用なし: ICC/IF, IHC-P or IP |
| 種交差性 | 交差種: Human |
| 免疫原 | Synthetic peptide within Human LDH-C aa 1-100 (N terminal). The exact sequence is proprietary. |
| ポジティブ・コントロール | Human testis lysate |
| 特記事項 | <p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p> <p>Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information.</p> |

製品の特性

| | |
|-------|---|
| 製品の状態 | Liquid |
| 保存方法 | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. |
| バッファー | <p>pH: 7.20</p> <p>Preservative: 0.05% Sodium azide</p> <p>Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue culture supernatant</p> |
| 精製度 | Protein A purified |
| ポリ/モノ | モノクローナル |

クローン名 EP1567Y

アイソタイプ IgG

アプリケーション

The Abpromise guarantee **Abpromise保証は、** 次のテスト済みアプリケーションにおけるab75999の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|--|
| WB | | 1/2000 - 1/5000. Predicted molecular weight: 35 kDa. |

追加情報 Is unsuitable for ICC/IF,IHC-P or IP.

ターゲット情報


機能 Possible role in sperm motility.

パスウェイ Fermentation; pyruvate fermentation to lactate; (S)-lactate from pyruvate: step 1/1.

配列類似性 Belongs to the LDH/MDH superfamily. LDH family.

細胞内局在 Cytoplasm.

画像



Anti-LDH-C antibody [EP1567Y] (ab75999) at 1/5000 dilution + human testis lysate at 10 µg

Secondary
HRP labelled goat anti rabbit at 1/2000 dilution

Predicted band size: 35 kDa
Observed band size: 35 kDa

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-LDH-C antibody [EP1567Y] (ab75999)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors