

Anti-Lipid A antibody [26-5] ab8467

5 References

製品の概要

製品名	Anti-Lipid A antibody [26-5]
製品の詳細	Mouse monoclonal [26-5] to Lipid A
由来種	Mouse
アプリケーション	適用あり: Agglutination, ELISA
種交差性	交差種: Species independent
免疫原	Other Immunogen Type corresponding to Lipid A. Synthetic Lipid A.
特記事項	<p>Lipid A is part of LPS (lipopolysaccharide) present in gram-negative bacteria.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C. Do Not Freeze.
バッファー	pH: 7.30 Preservative: 0.02% Sodium azide Constituents: 0.1% BSA, 99.88% PBS
精製度	IgG fraction
特記事項(精製)	This product is sterile filtered.
一次抗体 備考	Lipid A is part of LPS (lipopolysaccharide) present in gram-negative bacteria.
ポリ/モノ	モノクローナル
クローン名	26-5
ミエローマ	unknown
アイソタイプ	IgG2b

アプリケーション

The Abpromise guarantee **Abpromise保証は、次のテスト済みアプリケーションにおけるab8467の使用に適用されます**
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Agglutination		Use at an assay dependent concentration. Use NEAT.
ELISA		1/10. in phosphate buffered saline containing 4% BSA and 0.05% Tween. For ELISA prepare bacteria suspension in PBS (5×10^8 bact./ml). Coat ELISA plate with 100 μ l/well for 1 h. at 37°C, store overnight at 4°C and wash 5x with tapwater with 0.05% Tween (TT). Incubate with diluted antibody, 1 h. at 37°C. Wash 5x with TT. Incubate with appropriate conjugate (anti-mouse Ig enzyme

ターゲット情報

関連性 Lipid A is a lipid component of an endotoxin held responsible for toxicity of Gram-negative bacteria. Sensing of lipid A by the human immune system may also be critical for the onset of immune responses to Gram-negative infection, and for the subsequent successful fight against the infection. Lipid A is located at one end of the lipopolysaccharide (LPS, also called endotoxin) molecule, and anchors the LPS to the outer membrane of a Gram-negative bacteria. Many of the immune activating abilities of LPS can be contributed to the lipid A unit. It is a very potent stimulant of the immune system, activating cells (for example, monocytes or macrophages) at picogram per milliliter quantities. When present in the body at high concentrations during a Gram-negative bacterial infection, it may cause shock and death by an "out of control" excessive immune reaction.

細胞内局在 Secreted

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors