abcam

Product datasheet

Anti-LRBA/BGL antibody ab121765

1 References 画像数 1

製品の概要

製品名 Anti-LRBA/BGL antibody

製品の詳細 Rabbit polyclonal to LRBA/BGL

由来種 Rabbit

 アプリケーション
 適用あり: IHC-P

 種交差性
 交差種: Human

免疫原 Recombinant fragment corresponding to Human LRBA/BGL aa 907-1038.

ポジティブ・コントロール Human rectum tissue.

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

バッファー pH: 7.20

Preservative: 0.02% Sodium azide

Constituents: 40% Glycerol (glycerin, glycerine), 59% PBS

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

アイソタイプ IgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab121765の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

1

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|---|
| IHC-P | | 1/1000 - 1/2500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. |

ターゲット情報

機能 May be involved in coupling signal transduction and vesicle trafficking to enable polarized

secretion and/or membrane deposition of immune effector molecules.

組織特異性 Ubiquitous.


配列類似性 Contains 1 BEACH domain.

Contains 6 WD repeats.

翻訳後修飾 Phosphorylated upon DNA damage, probably by ATM or ATR.

細胞内局在 Cell membrane. Endoplasmic reticulum. Golgi apparatus > trans-Golgi network. Lysosome.

画像



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-LRBA/BGL antibody (ab121765)

ab121765 at 1/200 dilution staining LRBA/BGL in paraffin embedded Human rectum tissue by Immunohistochemistry.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise,

please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors