abcam

Product datasheet

Anti-MAX antibody [73C5a] ab53570

★★★★★ 1 Abreviews 11 References 画像数 2

製品の概要

製品名 Anti-MAX antibody [73C5a]

製品の詳細 Mouse monoclonal [73C5a] to MAX

由来種 Mouse

アプリケーション 適用あり: ChIP, Flow Cyt, Dot blot, WB 種交差性 交差種: Human, Recombinant fragment

免疫原 Recombinant human MAX

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

バッファー pH: 7.40

Preservative: 0.05% Sodium azide

Constituents: 1% BSA, 0.03% Potassium phosphate, 0.812% Sodium chloride, 0.1312% Sodium

phosphate, 0.0225% Potassium chloride, PBS

精製度 Protein G purified

特記事項(精製) ab53570 was purified using protein G column chromatography from culture supernatant of

hybridoma cultured in a medium containing bovine IgG-depleted (approximately 95%) fetal bovine

serum and filtered through a 0.22µm membrane.

ポリ/モノ モノクローナル

クローン名 73C5a アイソタイプ lgG2b

1

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab53570の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ChIP		Use at an assay dependent concentration. PubMed: 20797623
Flow Cyt		Use 1µg for 10 ⁶ cells. ab170192 - Mouse monoclonal lgG2b, is suitable for use as an isotype control with this antibody.
Dot blot		Use at an assay dependent concentration.
WB	★★★☆☆ (1)	Use at an assay dependent concentration. Detects a band of approximately 34 kDa (predicted molecular weight: 18 kDa).

ターゲット情報

機能 Transcription regulator. Forms a sequence-specific DNA-binding protein complex with MYC or

MAD which recognizes the core sequence 5'-CAC[GA]TG-3'. The MYC:MAX complex is a

transcriptional activator, whereas the MAD:MAX complex is a repressor. May repress

transcription via the recruitment of a chromatin remodeling complex containing H3 'Lys-9' histone

methyltransferase activity.

組織特異性 High levels found in the brain, heart and lung while lower levels are seen in the liver, kidney and

skeletal muscle.

関連疾患 Pheochromocytoma

配列類似性 Belongs to the MAX family.


Contains 1 bHLH (basic helix-loop-helix) domain.

翻訳後修飾 Reversible lysine acetylation might regulate the nuclear-cytoplasmic shuttling of specific Max

complexes.


細胞内局在 Nucleus. Cell projection, dendrite.

画像



Anti-MAX antibody [73C5a] (ab53570) + immunised recombinant protein

Predicted band size: 18 kDa **Observed band size:** 34 kDa



Flow Cytometry - Anti-MAX antibody [73C5a] (ab53570)

Overlay histogram showing A549 cells stained with ab53570 (red line). The cells were fixed with 80% methanol (5 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab53570, 1µg/1x10⁶ cells) for 30 min at 22°C. The secondary antibody used was DyLight® 488 goat anti-mouse IgG (H+L) (ab96879) at 1/500 dilution for 30 min at 22°C. Isotype control antibody (black line) was mouse IgG2b [PLPV219] (ab91366, 2µg/1x10⁶ cells) used under the same conditions. Acquisition of >5,000 events was performed. This antibody gave a positive signal in A549 cells fixed with 4% paraformaldehyde (10 min)/permeabilized with 0.1% PBS-Tween for 20 min used under the same conditions.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors