

Anti-MEX3C antibody ab79041

[1 References](#) [画像数 1](#)

製品の概要

製品名	Anti-MEX3C antibody
製品の詳細	Rabbit polyclonal to MEX3C
由来種	Rabbit
アプリケーション	適用あり: WB
種交差性	交差種: Rat
免疫原	A 15 amino acid synthetic peptide from near the carboxy terminus of human MEX3C (NP_057710)

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C.
バッファー	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: PBS
精製度	Immunogen affinity purified
特記事項(精製)	ab79041 was purified by affinity chromatography via a peptide column
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee

Abpromise保証は、次のテスト済みアプリケーションにおけるab79041の使用に適用されません


アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 0.5 - 1 µg/ml. Predicted molecular weight: 69 kDa.

ターゲット情報

機能	RNA-binding protein. May be involved in post-transcriptional regulatory mechanisms.
組織特異性	Highest levels found in fetal brain and testis. Also expressed in thymus, salivary gland and uterus. Weak expression in the intestine.
関連疾患	Note=Genetic variations in MEX3C may be associated with susceptibility to essential hypertension.
配列類似性	Contains 2 KH domains. Contains 1 RING-type zinc finger.
ドメイン	Binds RNA through its KH domains.
細胞内局在	Cytoplasm. Nucleus. Predominantly expressed in the cytoplasm and shuttles between the cytoplasm and the nucleus through the CRM1 export pathway.

画像



Lane 1 : Anti-MEX3C antibody (ab79041) at 0.5 µg/ml

Lane 2 : Anti-MEX3C antibody (ab79041) at 1 µg/ml

All lanes : Rat heart tissue lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 69 kDa

Observed band size: 69 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors