abcam

Product datasheet

Anti-MNK1 (phospho T385) antibody [EPR2370] ab109102

ועלשעבע RabMAb

4 References 画像数3

製品の概要

製品名 Anti-MNK1 (phospho T385) antibody [EPR2370]

製品の詳細 Rabbit monoclonal [EPR2370] to MNK1 (phospho T385)

由来種 Rabbit

アプリケーション 適用あり: WB, IHC-P

適用なし: Flow Cyt or IP

種交差性 交差種: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール HeLa cell lysates, treated with Calyculin A; Human colon tissue.

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with

these species. Please contact us for more information.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

バッファー

Preservative: 0.01% Sodium azide

Constituents: 9% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA, 50% Tissue culture

supernatant

精製度 Tissue culture supernatant

ポリモノ モノクローナル

lgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab109102の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/1000 - 1/10000. Predicted molecular weight: 51 kDa.
IHC-P		1/250 - 1/500. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.

追加情報

Is unsuitable for Flow Cyt or IP.

ターゲット情報

機能 May play a role in the response to environmental stress and cytokines. Appears to regulate

transcription by phosphorylating EIF4E, thus increasing the affinity of this protein for the 7-

methylguanosine-containing mRNA cap.

組織特異性 Ubiquitous.

配列類似性 Belongs to the protein kinase superfamily. CAMK Ser/Thr protein kinase family.


Contains 1 protein kinase domain.

翻訳後修飾 Dual phosphorylation of Thr-250 and Thr-255 activates the kinase. Phosphorylation of Thr-385

activates the kinase.

細胞内局在 Cytoplasm and Cytoplasm. Nucleus.

画像



Western blot - Anti-MNK1 (phospho T385) antibody [EPR2370] (ab109102) All lanes: Anti-MNK1 (phospho T385) antibody [EPR2370]


(ab109102) at 1/1000 dilution

Lane 1 : HeLa cell lysate, untreated

Lane 2: HeLa cell lysate, treated with Calyculin A.

Lysates/proteins at 10 µg per lane.

Predicted band size: 51 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-MNK1 (phospho T385) antibody [EPR2370] (ab109102)

Immunohistochemical analysis of MNK1 (phospho T385) expression in paraffin-embedded Human colon tissue using ab109102 at 1/250 dilution.

Perform heat mediated antigen retrieval before commencing with IHC staining protocol.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

(ab109102)

•	Guarantee only valid for products bought direct from Abcam or one of our authorized distributors				