# abcam

## Product datasheet

# Anti-MSP/MST1 antibody ab76822

4 References 画像数 1

#### 製品の概要

製品名 Anti-MSP/MST1 antibody

製品の詳細 Mouse polyclonal to MSP/MST1

由来種 Mouse

 アプリケーション
 適用あり: WB

 種交差性
 交差種: Human

免疫原 Recombinant full length protein. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール Lysate from MSP/MST1-transfected 293T cells.

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

**バッファー** pH: 7.4

Constituent: PBS

精製度 Protein A purified

**ポリ/モノ** ポリクローナル

アイソタイプ IgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab76822の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/1000. Predicted molecular weight: 80 kDa.

#### ターゲット情報

機能 Probably has no proteolytic activity, since crucial characteristic of serine proteases catalytic sites

are not conserved.

配列類似性 Belongs to the peptidase S1 family. Plasminogen subfamily.

Contains 4 kringle domains.

Contains 1 PAN domain.


Contains 1 peptidase S1 domain.

翻訳後修飾 May be cleaved after Arg-483, to yield two chains held together by disulfide bonds, or two

separate polypeptides.

細胞内局在 Secreted.

#### 画像



Western blot - Anti-MSP/MST1 antibody (ab76822)

All lanes: Anti-MSP/MST1 antibody (ab76822) at 1/500 dilution

Lane 1: MSP/MST1-transfected 293T cell line

Lane 2: Non-transfected 293T cell line

Lysates/proteins at 25 µg per lane.

#### **Secondary**

All lanes: Goat Anti-Mouse IgG (H&L) HRP-conjugated at 1/2500

dilution

**Predicted band size:** 80 kDa **Observed band size:** 80 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors