

# Anti-Nicastrin antibody ab62508

★☆☆☆☆ [1 Abreviews](#) [2 References](#) [画像数 1](#)

### 製品の概要

製品名	Anti-Nicastrin antibody
製品の詳細	Rabbit polyclonal to Nicastrin
由来種	Rabbit
アプリケーション	<b>適用あり:</b> WB
種交差性	<b>交差種:</b> Mouse
免疫原	A 17 amino acid synthetic peptide from near the carboxy terminus of human Nicastrin
ポジティブ・コントロール	WB: Mouse brain lysate.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C.
バッファー	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: PBS
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

### アプリケーション


**The Abpromise guarantee**      **Abpromise保証は、** 次のテスト済みアプリケーションにおけるab62508の使用に適用されます  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 0.5 - 2 µg/ml. Detects a band of approximately 78 kDa (predicted molecular weight: 78 kDa).

## ターゲット情報

機能	Essential subunit of the gamma-secretase complex, an endoprotease complex that catalyzes the intramembrane cleavage of integral membrane proteins such as Notch receptors and APP (beta-amyloid precursor protein). It probably represents a stabilizing cofactor required for the assembly of the gamma-secretase complex.
組織特異性	Widely expressed.
配列類似性	Belongs to the nicastrin family.
細胞内局在	Membrane. Melanosome. Identified by mass spectrometry in melanosome fractions from stage I to stage IV.

## 画像



**Lane 1 :** Anti-Nicastrin antibody (ab62508) at 0.5 µg/ml

**Lane 2 :** Anti-Nicastrin antibody (ab62508) at 1 µg/ml

**Lane 3 :** Anti-Nicastrin antibody (ab62508) at 2 µg/ml

**All lanes :** Mouse brain lysate

Lysates/proteins at 15 µg per lane.

**Predicted band size:** 78 kDa

**Observed band size:** 78 kDa

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors