


### Anti-NT5C2 antibody ab96084

4 References [画像数 2](#)

医薬用外劇物

#### 製品の概要

製品名	Anti-NT5C2 antibody
製品の詳細	Rabbit polyclonal to NT5C2
由来種	Rabbit
アプリケーション	<b>適用あり:</b> WB, IHC-P
種交差性	<b>交差種:</b> Human <b>交差が予測される動物種:</b> Mouse, Cow, Zebrafish 
免疫原	Recombinant fragment, containing a sequence corresponding to a region within amino acids 108 and 332 of Human NT5C2.
ポジティブ・コントロール	HepG2 whole cell lysate ( <b>ab7900</b> ) can be used as a positive control in WB. H1299 and HeLaS3 whole cell lysate, OVCA tissue
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	pH: 7.00 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 1.21% Tris, 0.75% Glycine, 10% Glycerol (glycerin, glycerine)
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション


**The Abpromise guarantee**      Abpromise保証は、 次のテスト済みアプリケーションにおけるab96084の使用に適用されます  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/3000. Predicted molecular weight: 65 kDa.
IHC-P		1/100 - 1/250.

ターゲット情報

機能	May have a critical role in the maintenance of a constant composition of intracellular purine/pyrimidine nucleotides in cooperation with other nucleotidases. Preferentially hydrolyzes inosine 5'-monophosphate (IMP) and other purine nucleotides.
配列類似性	Belongs to the 5'(3')-deoxyribonucleotidase family.
細胞内局在	Cytoplasm.

画像



**All lanes :** Anti-NT5C2 antibody (ab96084) at 1/1000 dilution


**Lane 1 :** H1299 cell lysate

**Lane 2 :** HeLaS3 cell lysate

Lysates/proteins at 30 µg per lane.

**Predicted band size:** 65 kDa

7.5% SDS PAGE



Immunohistochemical analysis of paraffin-embedded OVCA, using ab96084 at 1:100 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-NT5C2 antibody (ab96084)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors