

# Anti-Ocular development associated gene antibody [GATA9A1D3] ab50816

★★★★★ [1 Abreviews](#) [1 References](#) [画像数 3](#)

### 製品の概要

---

製品名	Anti-Ocular development associated gene antibody [GATA9A1D3]
製品の詳細	Mouse monoclonal [GATA9A1D3] to Ocular development associated gene
由来種	Mouse
アプリケーション	<b>適用あり:</b> ICC/IF, WB
種交差性	<b>交差種:</b> Mouse, Human
免疫原	Recombinant fragment (Human)
ポジティブ・コントロール	HeLa and NIH3T3 cells or whole cell lysates.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 製品の特性

---

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
バッファー	pH: 7.40 Preservative: 0.05% Sodium azide Constituents: 1% BSA, PBS
精製度	Protein G purified
ポリ/モノ	モノクローナル
クローン名	GATA9A1D3
アイソタイプ	IgG2b

## アプリケーション

**The Abpromise guarantee** Abpromise保証は、次のテスト済みアプリケーションにおけるab50816の使用に適用されます  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


アプリケーション	Abreviews	特記事項
ICC/IF		1/10.
WB		1/100. Detects a band of approximately 29 kDa (predicted molecular weight: 29 kDa).

## ターゲット情報

**関連性** ODAG (Ocular development-associated gene), a novel transcription factor located on chromosome 7, encodes a protein that may play a role in eye development. mRNA profiling in multiple human tissue indicates that ODAG is expressed in human CD56+ NK cells and thyroid tissue.

**細胞内局在** Nuclear

## 画像



Anti-Ocular development associated gene antibody [GATA9A1D3] (ab50816) at 1/100 dilution + HeLa whole cell lysate at 50 µg


### Secondary

anti-mouse IgG at 1/2500 dilution

Developed using the ECL technique.


**Predicted band size:** 29 kDa

**Observed band size:** 29 kDa



Immunocytochemistry/ Immunofluorescence - Anti-Ocular development associated gene antibody [GATA9A1D3] (ab50816)

ab50816 at 1/10 dilution staining human GATAD1 in HeLa cells by Immunocytochemistry. AlexaFluor®488 Goat Anti-mouse IgG at 1/200 as secondary antibody.



Western blot - Anti-Ocular development associated gene antibody [GATA9A1D3] (ab50816)

Anti-Ocular development associated gene antibody [GATA9A1D3] (ab50816) at 1/100 dilution + NIH3T3 whole cell lysate at 50 μg

#### Secondary

anti-mouse IgG at 1/2500 dilution

Developed using the ECL technique.

**Predicted band size:** 29 kDa

**Observed band size:** 29 kDa

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors