

# PE Anti-CD22 antibody [RFB4] ab23620

## 2 References

### 製品の概要

製品名	PE Anti-CD22 antibody [RFB4]
製品の詳細	PE Mouse monoclonal [RFB4] to CD22
由来種	Mouse
標識	PE. Ex: 488nm, Em: 575nm
特異性	CD22 is in principle a B lineage antigen, that is present in the cytoplasm of progenitor B-cells and on the membrane of the majority of mature peripheral B-lymphocytes. Furthermore, it is strongly expressed on Hairy Cell Leukemia cells and very weakly on some other leukemias. Antigen distribution: Peripheral blood lymphocytes 12±3% T-cells (E+) < 1% B-cells (E-, Ig+) 92±3% Monocytes (CD14+) < 1% Granulocytes < 1% Thymocytes < 1%
アプリケーション	<b>適用あり:</b> IHC-Fr, Flow Cyt <b>適用なし:</b> IHC-P
種交差性	<b>交差種:</b> Human
免疫原	Purified tonsil lymphocytes (Human).
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C. Do Not Freeze.
バッファー	pH: 7.3 Preservative: 0.1% Sodium azide Constituent: 1% BSA
特記事項 (精製)	Purification by IEP (immunoelectrophoresis).
一次抗体 備考	ab23620 can be used for: - Quantitative determination of peripheral B-cells (CD22+) in blood. - Identification of CD22+-cells in tissue sections. - Determination of B-cell origin of lymphoid

	neoplasms. - Quantitative elimination or isolation of B-cells by flow cytometry or magnet beads.
ポリ/モノ	モノクローナル
クローン名	RFB4
アイソタイプ	IgG1

## アプリケーション

**The Abpromise guarantee** **Abpromise保証は、次のテスト済みアプリケーションにおけるab23620の使用に適用されます**

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-Fr		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent concentration. Use maximum of 5ul for 10 <sup>6</sup> cells. <b>ab91357</b> - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

**追加情報** Is unsuitable for IHC-P.

## ターゲット情報

<b>機能</b>	Mediates B-cell B-cell interactions. May be involved in the localization of B-cells in lymphoid tissues. Binds sialylated glycoproteins; one of which is CD45. Preferentially binds to alpha-2,6-linked sialic acid. The sialic acid recognition site can be masked by cis interactions with sialic acids on the same cell surface. Upon ligand induced tyrosine phosphorylation in the immune response seems to be involved in regulation of B-cell antigen receptor signaling. Plays a role in positive regulation through interaction with Src family tyrosine kinases and may also act as an inhibitory receptor by recruiting cytoplasmic phosphatases via their SH2 domains that block signal transduction through dephosphorylation of signaling molecules.
<b>組織特異性</b>	B-lymphocytes.
<b>配列類似性</b>	Belongs to the immunoglobulin superfamily. SIGLEC (sialic acid binding Ig-like lectin) family. Contains 6 Ig-like C2-type (immunoglobulin-like) domains. Contains 1 Ig-like V-type (immunoglobulin-like) domain.
<b>ドメイン</b>	Contains 4 copies of a cytoplasmic motif that is referred to as the immunoreceptor tyrosine-based inhibitor motif (ITIM). This motif is involved in modulation of cellular responses. The phosphorylated ITIM motif can bind the SH2 domain of several SH2-containing phosphatases.
<b>翻訳後修飾</b>	Phosphorylation of Tyr-762, Tyr-807 and Tyr-822 are involved in binding to SYK, GRB2 and SYK, respectively. Phosphorylation of Tyr-842 is involved in binding to SYK, PLCG2 and PIK3R1/PIK3R2. Phosphorylated on tyrosine residues by LYN.
<b>細胞内局在</b>	Cell membrane.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors