# abcam

## Product datasheet

# PE Anti-Choline Acetyltransferase antibody [EPR13024(B)] ab224000

יעלטעבעו RabMAb

### 画像数 2

#### 製品の概要

製品名 PE Anti-Choline Acetyltransferase antibody [EPR13024(B)]

製品の詳細 PE Rabbit monoclonal [EPR13024(B)] to Choline Acetyltransferase

由来種 Rabbit

標識 PE. Ex: 488nm, Em: 575nm

アプリケーション 適用あり: Flow Cyt (Intra)

種交差性 交差種: Human

交差が予測される動物種: Mouse, Rat 🔷

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers. 免疫原

ポジティブ・コントロール Flow Cyt (intra): SHSY5Y cells.

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

#### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot. Store at +4°C. Do Not Freeze. Store In the Dark.

バッファー pH: 7.4

> Preservative: 0.02% Sodium azide Constituents: 1% BSA, PBS

Protein A purified 精製度

モノクローナル ポリモノ

ΙgG

#### アプリケーション

**The Abpromise guarantee** <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab224000の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt (Intra)		1/5000. The cellular localisation of this product has been verified in ICC/IF.

#### ターゲット情報


機能 Catalyzes the reversible synthesis of acetylcholine (ACh) from acetyl CoA and choline at

cholinergic synapses.

**関連疾患** Myasthenic syndrome, congenital, 6, presynaptic

**配列類似性** Belongs to the carnitine/choline acetyltransferase family.


#### 画像



Flow Cytometry (Intracellular) - PE Anti-Choline Acetyltransferase antibody [EPR13024(B)] (ab224000) Overlay histogram showing SHSY5Y cells stained with ab224000 (red line). The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 0.1% PBS-Triton X-100 for 15 min. The cells were then incubated in 1x PBS / 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (ab224000, 1/5000 dilution) for 30 min at 22°C.

Isotype control antibody (black line) was Rabbit IgG (monoclonal) Phycoerythrin (<u>ab209478</u>) used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control.

Acquisition of >5,000 events were collected using a 50 mW Yellow/Green laser (561nm) and 586/15 bandpass filter.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors