abcam

Product datasheet

PE Anti-TLR4 antibody [MTS510] ab95563

4 References 画像数 1

製品の概要

製品名 PE Anti-TLR4 antibody [MTS510]

製品の詳細 PE Rat monoclonal [MTS510] to TLR4

由来種 Rat

標識 PE. Ex: 488nm, Em: 575nm

特異性 The MTS510 monoclonal antibody co-immunoprecipitates MD-2 (~30 kDa) and TLR4 (~100

kDa), and preferentially reacts with TLR4 that is associated with MD-2.

アプリケーション 適用あり: Flow Cyt 種交差性 交差種: Mouse

免疫原 Full length native protein (purified) corresponding to Mouse TLR4.

ポジティブ・コントロール

特記事項

3-day thioglycolate-induced BALB/c macrophages; mouse peritoneal exudate cells

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

バッファー pH: 7.20

Preservative: 0.09% Sodium azide

Constituents: 0.87% Sodium chloride, PBS

精製度 Protein G purified

ポリ/モノ モノクローナル

クローン名 MTS510

アイソタイプ lgG2a

軽鎖の種類 kappa

1

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab95563の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		Use $0.5\mu g$ for 10^{5-8} cells. Staining the cell sample in a final volume of 100 μL is recommended.

ターゲット情報

関連疾患

機能
Cooperates with LY96 and CD14 to mediate the innate immune response to bacterial lipopolysaccharide (LPS). Acts via MYD88, TIRAP and TRAF6, leading to NF-kappa-B activation, cytokine secretion and the inflammatory response. Also involved in LPS-independent inflammatory responses triggered by Ni(2+). These responses require non-conserved histidines and are, therefore, species-specific.

組織特異性
Highly expressed in placenta, spleen and peripheral blood leukocytes. Detected in monocytes,

macrophages, dendritic cells and several types of T-cells.

Genetic variation in TLR4 is associated with age-related macular degeneration type 10 (ARMD10) [MIM:611488]. ARMD is a multifactorial eye disease and the most common cause of irreversible vision loss in the developed world. In most patients, the disease is manifest as ophthalmoscopically visible yellowish accumulations of protein and lipid that lie beneath the retinal pigment epithelium and within an elastin-containing structure known as Bruch membrane.

配列類似性

Belongs to the Toll-like receptor family.

Contains 18 LRR (leucine-rich) repeats.

Contains 1 LRRCT domain.

Contains 1 TIR domain.


ドメイン The TIR domain mediates interaction with NOX4.

翻訳後修飾 N-glycosylated. Glycosylation of Asn-526 and Asn-575 seems to be necessary for the expression of TLR4 on the cell surface and the LPS-response. Likewise, mutants lacking two or more of the

other N-glycosylation sites were deficient in interaction with LPS.

細胞内局在 Membrane.

画像



Staining of 3-day thioglycolate-induced BALB/c macrophages with 0.25 μg of Rat $\lg G2a$ Isotype Control PE (open histogram) or 0.25 μg of ab95563 (filled histogram). Cells were pre-incubated with Anti-Mouse CD16/CD32. Total viable cells were used for analysis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors