

PE/Cy7® Anti-CD62L antibody [MEL-14] ab25569

★★★★★ [1 Abreviews](#) [6 References](#)

製品の概要

| | |
|----------|---|
| 製品名 | PE/Cy7® Anti-CD62L antibody [MEL-14] |
| 製品の詳細 | PE/Cy7® Rat monoclonal [MEL-14] to CD62L |
| 由来種 | Rat |
| 標識 | PE/Cy7®. Ex: 496nm, Em: 774nm |
| アプリケーション | 適用あり: Flow Cyt |
| 種交差性 | 交差種: Mouse |
| 免疫原 | Tissue/ cell preparation: C3H/eb cloned mouse B lymphoma 38C-13. |
| 特記事項 | <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p> |

製品の特性

| | |
|--------|--|
| 製品の状態 | Liquid |
| 保存方法 | Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at +4°C. Do Not Freeze. |
| バッファー | <p>pH: 7.20</p> <p>Preservative: 0.09% Sodium azide</p> <p>Constituents: 0.142% Monobasic dihydrogen sodium phosphate, 0.87% Sodium chloride, 0.1% Gelatin</p> |
| 精製度 | Affinity purified |
| ポリ/モノ | モノクローナル |
| クローン名 | MEL-14 |
| アイソタイプ | IgG2a |
| 軽鎖の種類 | kappa |

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab25569の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|--|
| Flow Cyt | ★★★★★ (1) | Use at an assay dependent concentration. |

ターゲット情報

| | |
|-------|--|
| 機能 | Cell surface adhesion protein. Mediates the adherence of lymphocytes to endothelial cells of high endothelial venules in peripheral lymph nodes. Promotes initial tethering and rolling of leukocytes in endothelia. |
| 組織特異性 | Expressed in B cell lines and T lymphocytes. |
| 配列類似性 | Belongs to the selectin/LECAM family. Contains 1 C-type lectin domain. Contains 1 EGF-like domain. Contains 2 Sushi (CCP/SCR) domains. |
| 細胞内局在 | Membrane. |

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors