abcam

Product datasheet

PerCP Anti-NCAM1 antibody [MEM-188], prediluted ab134333

画像数1

製品の概要

製品名 PerCP Anti-NCAM1 antibody [MEM-188], prediluted

製品の詳細 PerCP Mouse monoclonal [MEM-188] to NCAM1, prediluted

由来種 Mouse

標識 PerCP. Ex: 482nm, Em: 675nm

アプリケーション 適用あり: Flow Cyt

種交差性 交差種: Human, Non human primates

免疫原 Tissue, cells or virus corresponding to Human NCAM1. KG-1 Human acute myelogenous

leukemia cell line.

ポジティブ・コントロール Human blood cells.

Positive tissue: Positive membrane-specific reaction in adjacent peripheral nerve Staining of

paraprostatic autonomic ganglion.

特記事項 ab134333 is designed for Flow Cytometry analysis of Human blood cells using 10 µl reagent /

100 µl of whole blood or 10⁶ cells in a suspension.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

バッファー pH: 7.4

Preservative: 0.1% Sodium azide Constituents: 99% PBS, 0.2% BSA

精製度 Size exclusion ポリ/モノ モノクローナル クローン名 MEM-188

1

アプリケーション


The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab134333の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		Use 10µl for 10 ⁶ cells. ab110422 - Mouse monoclonal lgG2a, is suitable for use as an isotype control with this antibody.

ターゲット情報

機能	This protein is a cell adhesion molecule involved in neuron-neuron adhesion, neurite fasciculation, outgrowth of neurites, etc.
配列類似性	Contains 2 fibronectin type-Ill domains. Contains 5 lg-like C2-type (immunoglobulin-like) domains.
細胞内局在	Secreted and Cell membrane.

画像



Surface staining of human peripheral blood lymphocytes ab134333 at 1/10 dilution

 $\textbf{Please note:} \ \ \textbf{All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"}$

Our Abpromise to you: Quality guaranteed and expert technical support

• Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors