

Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] ab151549

リコンビナント RabMAb

★★★★★ **2 Abreviews** **92 References** **画像数 9**

製品の概要

製品名	Anti-PI3 Kinase p110 beta antibody [EPR5515(2)]
製品の詳細	Rabbit monoclonal [EPR5515(2)] to PI3 Kinase p110 beta
由来種	Rabbit
アプリケーション	適用あり: Flow Cyt (Intra), WB, ICC/IF 適用なし: IHC-P
種交差性	交差種: Mouse, Rat, Human
免疫原	Synthetic peptide within Human PI3 Kinase p110 beta aa 400-500. The exact sequence is proprietary.
ポジティブ・コントロール	MCF-7, Jurkat, K562 and 293T cell lysates; Human brain tissue; 293 cells. Rat Brain Lysate, Mouse Brain Lysate
特記事項	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production For more information see here . Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents .

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at -20°C.
バッファー	Preservative: 0.01% Sodium azide Constituents: 40% Glycerol (glycerin, glycerine), 0.05% BSA, 59% PBS
精製度	Protein A purified
ポリ/モノ	モノクローナル
クローン名	EPR5515(2)
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee **Abpromise保証は、次のテスト済みアプリケーションにおけるab151549の使用に適用されず**
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt (Intra)		1/20. For unpurified use at 1/100 - 1/1000. ab172730 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
WB	★★★★★ (2)	1/1000. Predicted molecular weight: 123 kDa. For unpurified use at 1/1000 - 1/10000.
ICC/IF		1/150. For unpurified use at 1/250 - 1/500.


追加情報

Is unsuitable for IHC-P.

ターゲット情報

機能	Phosphorylates PtdIns, PtdIns4P and PtdIns(4,5)P2 with a preference for PtdIns(4,5)P2.
組織特異性	Expressed ubiquitously.
パスウェイ	Phospholipid metabolism; phosphatidylinositol phosphate biosynthesis.
配列類似性	Belongs to the PI3/PI4-kinase family. Contains 1 PI3K/PI4K domain.

画像



All lanes : Anti-PI3 Kinase p110 beta antibody [EPR5515(2)]
(ab151549) at 1/1000 dilution

Lane 1 : Rat Brain Lysate


Lane 2 : Mouse Brain Lysate

Lysates/proteins at 10 µg per lane.

Secondary


All lanes : Goat Anti-Rabbit IgG, (H+L), HRP- conjugated at 1/1000 dilution

Predicted band size: 123 kDa




Flow Cytometry (Intracellular) - Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] (ab151549)

Overlay histogram showing SH-SY5Y cells stained with **ab131260** (red line) at 1/20 dilution. The cells were fixed with 2% Paraformaldehyde. The secondary antibody used was a FITC conjugated goat anti-rabbit IgG at 1/150 dilution. Isotype control antibody (green line) was rabbit monoclonal IgG used under the same conditions.



Immunocytochemistry/ Immunofluorescence - Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] (ab151549)

ab151549 staining PI3 Kinase p110 in the HeLa cell line by ICC/IF (Immunocytochemistry/immunofluorescence). Cells were fixed with 4% Paraformaldehyde permeabilized with 0.1% Triton X-100. Samples were incubated with primary antibody (1/150). **ab150082** an Alexa Fluor®555-conjugated Goat anti-rabbit IgG(1/500) was used as the secondary antibody. Nuclei were counterstained with DAPI.



Western blot - Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] (ab151549)


Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] (ab151549) at 1/5000 dilution + K562 Cell Lysate at 10 µg

Secondary

Goat Anti-Rabbit IgG, (H+L), HRP- conjugated at 1/1000 dilution

Predicted band size: 123 kDa

Observed band size: 110 kDa



Western blot - Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] (ab151549)

All lanes : Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] (ab151549) at 1/1000 dilution

Lane 1 : 293 Cell Lysate

Lane 2 : Jurkat Cell Lysate

Lane 3 : MCF-7 Cell Lysate


Lysates/proteins at 10 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG, (H+L), HRP- conjugated at 1/1000 dilution


Predicted band size: 123 kDa

Observed band size: 110 kDa



Flow Cytometry (Intracellular) - Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] (ab151549)

Overlay histogram showing HeLa cells stained with unpurified ab151549 (red line). The cells were fixed with 80% methanol (5 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab151549, 1/1000 dilution) for 30 min at 22°C. The secondary antibody used was Alexa Fluor® 488 goat anti-rabbit IgG (H&L) (**ab150077**) at 1/2000 dilution for 30 min at 22°C. Isotype control antibody (black line) was rabbit IgG (monoclonal) (0.1µg/1x10⁶ cells) used under the same conditions. Unlabelled sample (blue line) was also used as a control. Acquisition of >5,000 events were collected using a 20mW Argon ion laser (488nm) and 525/30 bandpass filter. This antibody gave a positive signal in HeLa cells fixed with 4% paraformaldehyde (10 min)/permeabilized with 0.1% PBS-Tween for 20 min used under the same conditions.



Western blot - Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] (ab151549)

All lanes : Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] (ab151549) at 1/1000 dilution (unpurified)

Lane 1 : MCF7 cell lysate

Lane 2 : Jurkat cell lysate

Lane 3 : K562 cell lysate


Lane 4 : 293T cell lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : HRP labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 123 kDa



Immunocytochemistry/ Immunofluorescence - Anti-PI3 Kinase p110 beta antibody [EPR5515(2)] (ab151549)

Immunofluorescent analysis of 293 cells labelling PI3 Kinase p110 beta with unpurified ab151549 at 1/10 dilution.

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-PI3 Kinase p110 beta antibody [EPR5515(2)]
(ab151549)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors