




### Anti-PPAR delta antibody ab8937

★★★★★ [3 Abreviews](#) [16 References](#) [画像数 2](#)

#### 製品の概要

製品名	Anti-PPAR delta antibody
製品の詳細	Rabbit polyclonal to PPAR delta
由来種	Rabbit
特異性	This affinity purified antibody is directed against mouse PPAR delta protein.
アプリケーション	<b>適用あり:</b> ICC/IF, WB
種交差性	<b>交差種:</b> Mouse, Human <b>交差が予測される動物種:</b> Rat 
免疫原	Synthetic peptide: MEQPQEETPEAREE , corresponding to N terminal amino acids 1-14 of Mouse PPAR delta .  <a href="#">Run BLAST with</a>  <a href="#">Run BLAST with</a>
ポジティブ・コントロール	3T3 cell lysate HepG2
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
バッファー	Preservative: 0.01% Sodium azide Constituents: 0.42% Potassium phosphate, 0.87% Sodium chloride
精製度	Immunogen affinity purified
特記事項 (精製)	The product was affinity purified from monospecific antiserum by immunoaffinity chromatography.
ポリ/モノ	ポリクローナル

## アプリケーション

## The Abpromise guarantee

**Abpromise保証は、次のテスト済みアプリケーションにおけるab8937の使用に適用されます**

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		Use a concentration of 1 µg/ml.
WB	★★★★★ (3)	1/1000 - 1/4000. Detects a band of approximately 54 kDa (predicted molecular weight: 50 kDa).

## ターゲット情報

## 機能

Ligand-activated transcription factor. Receptor that binds peroxisome proliferators such as hypolipidemic drugs and fatty acids. Has a preference for poly-unsaturated fatty acids, such as gamma-linoleic acid and eicosapentanoic acid. Once activated by a ligand, the receptor binds to promoter elements of target genes. Regulates the peroxisomal beta-oxidation pathway of fatty acids. Functions as transcription activator for the acyl-CoA oxidase gene. Decreases expression of NPC1L1 once activated by a ligand.

## 組織特異性

Ubiquitous with maximal levels in placenta and skeletal muscle.


## 配列類似性

Belongs to the nuclear hormone receptor family. NR1 subfamily.  
Contains 1 nuclear receptor DNA-binding domain.

## 細胞内局在


Nucleus.

## 画像



ICC/IF image of ab8937 stained HepG2 cells (**ab7900**). The cells were 100% methanol fixed (5 min) and then incubated in 1%BSA / 10% normal goat serum (**ab7481**) / 0.3M glycine in 0.1% PBS-Tween for 1h to permeabilise the cells and block non-specific protein-protein interactions. The cells were then incubated with the antibody (ab8937, 1µg/ml) overnight at +4°C. The secondary antibody (green) was Alexa Fluor® 488 goat anti-rabbit IgG (H+L) used at a 1/1000 dilution for 1h. Alexa Fluor® 594 WGA was used to label plasma membranes (red) at a 1/200 dilution for 1h. DAPI was used to stain the cell nuclei (blue) at a concentration of 1.43µM.

Immunocytochemistry/ Immunofluorescence - Anti-PPAR delta antibody (ab8937)



Rabbit polyclonal to PPAR delta (ab8937).

Each lane contains 20 ug 3T3 cell lysate

Lane 1: ab8937 1/500

Lane 2: ab8937 1/1000

Secondary antibody: Goat anti-Rabbit (HRP) ([ab6721](#)) at 1/2000

Rabbit polyclonal to PPAR delta (ab8937). Each lane contains 20 ug 3T3 cell lysate ([ab7179](#)) Lane 1: ab8937 1/500 Lane 2: ab8937 1/1000 Secondary antibody: Goat anti-Rabbit (HRP) ([ab6721](#)) at 1/2000

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors