abcam

Product datasheet

Anti-Proteasome 20S alpha 5/PSMA5 antibody [EPR5833] ab109533

יטלטעבע RabMAb

画像数3

製品の概要

製品名 Anti-Proteasome 20S alpha 5/PSMA5 antibody [EPR5833]

製品の詳細 Rabbit monoclonal [EPR5833] to Proteasome 20S alpha 5/PSMA5

由来種 Rabbit

アプリケーション 適用あり: WB, IHC-P

適用なし: ICC/IF or IP

種交差性 交差種: Human

交差が予測される動物種: Mouse, Rat 🔷

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール HepG2, Hela, 293T and JAR cell lysates; Human brain tissue.

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

製品の特性

製品の状態 Liquid

Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C. 保存方法

バッファー pH: 7.20

Preservative: 0.05% Sodium azide

Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue

culture supernatant

精製度 Protein A purified

ポリモノ モノクローナル

アイソタイプ

ΙgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab109533の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/10000 - 1/50000. Predicted molecular weight: 26 kDa.
IHC-P		1/100 - 1/250. Perform heat mediated antigen retrieval via the pressure cooker method before commencing with IHC staining protocol.

追加情報

Is unsuitable for ICC/IF or IP.

ターゲット情報

機能 The proteasome is a multicatalytic proteinase complex which is characterized by its ability to

cleave peptides with Arg, Phe, Tyr, Leu, and Glu adjacent to the leaving group at neutral or slightly


basic pH. The proteasome has an ATP-dependent proteolytic activity.

組織特異性 Expressed in fetal brain (at protein level).

配列類似性 Belongs to the peptidase T1A family.

細胞内局在 Cytoplasm. Nucleus.

画像



Western blot - Anti-Proteasome 20S alpha 5/PSMA5 antibody [EPR5833] (ab109533)

All lanes: Anti-Proteasome 20S alpha 5/PSMA5 antibody


[EPR5833] (ab109533) at 1/10000 dilution

Lane 1 : HepG2 cell lysate
Lane 2 : HeLa cell lysate
Lane 3 : 293T cell lysate

Lane 4: JAR cell lysate

Lysates/proteins at 10 µg per lane.

Predicted band size: 26 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Proteasome 20S alpha 5/PSMA5 antibody [EPR5833] (ab109533)

ab109533, at 1/100 dilution, staining Proteasome 20S alpha 5/PSMA5 in paraffin embedded Human brain tissue by Immunohistochemistry.

Perform heat mediated antigen retrieval via the pressure cooker method before commencing with IHC staining protocol.



Research with confidence Consistent and reproducible results





specificity



Anti-Proteasome 20S alpha 5/PSMA5 antibody [EPR5833] (ab109533)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

•	Guarantee only valid for products bought direct from Abcam or one of our authorized distributors				