abcam

Product datasheet

Anti-SLUG antibody ab27568

★★★★★ 11 Abreviews 142 References 画像数 3

製品の概要

製品名 Anti-SLUG antibody

製品の詳細 Rabbit polyclonal to SLUG

由来種 Rabbit

特異性 ab27568 detects the overexpressing human Slug protein, however we have no data on the

detection of the endogenous Human protein with this current batch. ab27568 does not cross react

with overexpressed SNAIL protein in cell lysates.

アプリケーション 適用あり: WB, IHC-Fr

適用なし: ICC

種交差性 交差種: Mouse, Rat, Chicken, Human

交差が予測される動物種: Cow, Dog, Pig, Xenopus laevis 🔷

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

免疫原

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

バッファー pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

Batches of this product that have a concentration < 1mg/ml may have BSA added as a stabilising agent. If you would like information about the formulation of a specific lot, please contact our

scientific support team who will be happy to help.

1

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

アイソタイプ lqG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab27568の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB	★★★★☆ (3)	1/500 - 1/1000. Detects a band of approximately 30-34 kDa (predicted molecular weight: 30 kDa).
IHC-Fr	★★★☆☆(2)	Use at an assay dependent concentration.

追加情報 Is unsuitable for ICC.

ターゲット情報

機能 Transcriptional repressor. Involved in the generation and migration of neural crest cells.

組織特異性 Expressed in placenta and adult heart, pancreas, liver, kidney and skeletal muscle.

関連疾患 Defects in SNAI2 are the cause of Waardenburg syndrome type 2D (WS2D) [MIM:608890]. WS2

is a genetically heterogeneous, autosomal dominant disorder characterized by sensorineural deafness, pigmentary disturbances, and absence of dystopia canthorum. The frequency of


deafness is higher in WS2 than in WS1.

配列類似性 Belongs to the snail C2H2-type zinc-finger protein family.

Contains 5 C2H2-type zinc fingers.

細胞内局在 Nucleus.


画像



Immunohistochemistry (Frozen sections) - Anti-SLUG antibody (ab27568)

This image is courtesy of Don Newgreen and Dong Cheng Zhang, Murdoch Childrens Research Institute

Transverse section showing Slug-expressing neural crest cells (green) in the dorsal neural tube (NT) in the hindbrain of a quail embryo. 4% PFA fixed embryonic day 1.7 Japanese Quail embryo, frozen in Tissutek, sectioned 12 um. Ab27568 1/400, incubated overnight. Goat anti-rabbit: Alexa488 (Molecular Probes) 1/1000 incubated for 2 hours.



All lanes: Anti-SLUG antibody (ab27568) at 1 µg/ml

Lane 1 : Heart (Mouse) Tissue Lysate
Lane 2 : Heart (Rat) Tissue Lysate

Lysates/proteins at 30 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit lgG H&L (HRP) preadsorbed (ab97080) at 1/5000 dilution

Predicted band size: 30 kDa **Observed band size:** 30 kDa


Secondary antibody - goat anti-rabbit HRP (preadsorbed)

All lanes: Anti-SLUG antibody (ab27568) at 1/1000 dilution

Lane 1: MCF7 cell lysate overexpressing SLUG protein

Lane 3: MCF7 lysate tranfected with vector control plasmid

Lane 2: MCF7 lysate overexpressing SNAIL protein



Secondary

All lanes: HRP-conjugated anti-rabbit antibody at 1/10000 dilution

Performed under reducing conditions.

Predicted band size: 30 kDa

Western blot - Anti-SLUG antibody (ab27568)

This image is courtesy of Archana Dhasarathy, Ph.D., NC

Observed band size: 34 kDa

ab27568 detects a band of 34 kDa in MCF7 cells that have been transfected with a vector that overexpresses the SLUG protein. This antibody does not crossreact with the SNAIL protein, as it did not recognize this protein in MCF7 cells overexpressing SNAIL. ab27568 was unable to detect endogenous SLUG in MDA-MB231 cells (not shown).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors