


### Anti-SMYD1 antibody ab32482

★★★★★ [3 Abreviews](#) [1 References](#) [画像数 1](#)

#### 製品の概要

製品名	Anti-SMYD1 antibody
製品の詳細	Rabbit polyclonal to SMYD1
由来種	Rabbit
アプリケーション	<b>適用あり:</b> WB
種交差性	<b>交差種:</b> Human <b>交差が予測される動物種:</b> Mouse, Chicken 
免疫原	Synthetic peptide conjugated to KLH derived from within residues 450 to the C-terminus of Human SMYD1. Immunogen の所有権に関して (Peptides available as <a href="#">ab34470</a> , <a href="#">ab34471</a> and <a href="#">ab34470</a> .)
ポジティブ・コントロール	This antibody gave a positive result in the following lysates: Skeletal Muscle (Human) Tissue Lysate - adult normal tissue. Testis (Human) Tissue Lysate - adult normal tissue.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
バッファー	<p>pH: 7.40</p> <p>Preservative: 0.02% Sodium azide</p> <p>Constituent: PBS</p> <p>Batches of this product that have a concentration &lt; 1mg/ml may have BSA added as a stabilising agent. If you would like information about the formulation of a specific lot, please contact our scientific support team who will be happy to help.</p>

精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション


**The Abpromise guarantee**      **Abpromise保証は、**次のテスト済みアプリケーションにおけるab32482の使用に適用されます  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 1 µg/ml. Detects a band of approximately 56 kDa (predicted molecular weight: 56 kDa).

ターゲット情報

機能	Acts as a transcriptional repressor. Essential for cardiomyocyte differentiation and cardiac morphogenesis.
配列類似性	Contains 1 MYND-type zinc finger. Contains 1 SET domain.
細胞内局在	Cytoplasm. Nucleus.

画像



**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

#### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors