

# Anti-Streptokinase antibody ab35168

## 2 References

### 製品の概要

|          |   |
|----------|---|
| 製品名      | Anti-Streptokinase antibody   |
| 製品の詳細    | Rabbit polyclonal to Streptokinase  |
| 由来種      | Rabbit  |
| アプリケーション | <b>適用あり:</b> ELISA  |
| 種交差性     | <b>交差種:</b> Streptococcus pyogenes  |
| 免疫原      | Full length native protein.   |
| 特記事項     | <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p> |

### 製品の特性

|           |   |
|-----------|---|
| 製品の状態     | Liquid  |
| 保存方法      | Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles. |
| バッファー     | <p>pH: 7.20</p> <p>Preservative: 0.1% Sodium azide</p> <p>Constituent: PBS</p>                          |
| 特記事項 (精製) | Ammonium sulphate fractionation.  |
| ポリモノ      | ポリクローナル   |
| アイソタイプ    | IgG   |

### アプリケーション

**The Abpromise guarantee**      Abpromise保証は、 次のテスト済みアプリケーションにおけるab35168の使用に適用されます  
 アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|------|
| ELISA    |           |      |

#### 追加情報

ELISA: 1/1000 - 1/5000. In a simple ELISA with 0.5µg Streptokinase coated per well, the 50% OD was observed at an antibody dilution of 1/2500. Under the same conditions the end point was observed at 1/50000.

Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

#### ターゲット情報

#### 関連性

Streptokinase is a metallo-enzyme produced by various strains of Streptococcus that can liquify blood clots by converting plasminogen to plasmin. Streptokinase is not a protease but it activates plasminogen by complexing with it. It is thought to prevent the formation of effective fibrin barriers around the site of infection, thereby contributing to the invasiveness of the cells.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

#### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors