

SureLight® APC Anti-DDDDK tag (Binds to FLAG® tag sequence) antibody [M2] ab72569

[6 References](#) [画像数 1](#)

製品の概要

製品名	SureLight® APC Anti-DDDDK tag (Binds to FLAG® tag sequence) antibody [M2]
製品の詳細	SureLight® APC Mouse monoclonal [M2] to DDDDK tag (Binds to FLAG® tag sequence)
由来種	Mouse
標識	SureLight® APC. Ex: 652nm, Em: 657nm
アプリケーション	適用あり: FRET, Flow Cyt (Intra)
種交差性	交差種: Species independent
免疫原	Synthetic peptide corresponding to DDDDK tag (Binds to FLAG® tag sequence).
特記事項	<p>This antibody has been optimized for High throughput screening (HTS) and fluorescence resonance energy transfer (FRET) assays.</p> <p>Excitation maximum:652 nm Emission maximum:657.5 nm F:P 1:1.</p> <p>FLAG® is a registered trade mark of Sigma Aldrich Biotechnology LP. It is used here for informational purposes only.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C. Store In the Dark.
バッファー	pH: 7.40 Preservative: 0.013% Sodium azide Constituents: 0.1% BSA, 0.87% Sodium chloride, 1.64% Sodium phosphate, 1.71% Sucrose
精製度	Size exclusion

特記事項 (精製)	Purified using size exclusion chromatography as well as some proprietary methods for purifying the final materials.
一次抗体 備考	This antibody has been optimized for High throughput screening (HTS) and fluorescence resonance energy transfer (FRET) assays.
ポリ/モノ	モノクローナル
クローン名	M2
アイソタイプ	IgG1

アプリケーション


The Abpromise guarantee **Abpromise保証は、次のテスト済みアプリケーションにおけるab72569の使用に適用されます**
 アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
FRET		Use at an assay dependent concentration.
Flow Cyt (Intra)		Use at an assay dependent concentration.

ターゲット情報

関連性 This is a useful tool for the localisation and characterisation of DDDDK tagged proteins (Binds to FLAG® tag sequence).

画像



Flow Cytometry analysis of transfected HEK293 cells. Fixed and permeabilized cells stained with 1 µg/ml of ab72569

Shaded histogram – HEK293 cells, expressing DYKDDDDK-tagged protein

Open histogram – mock transfected control HEK293 cells
 No exactly the same info

Flow Cytometry (Intracellular) - SureLight® APC
 Anti-DDDDK tag (Binds to FLAG® tag sequence)
 antibody [M2] (ab72569)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors