abcam

Product datasheet

SureLight® APC Anti-V5 tag antibody ab72560

1 References 画像数 2

製品の概要

製品名 SureLight® APC Anti-V5 tag antibody

製品の詳細 SureLight® APC Rabbit polyclonal to V5 tag

由来種 Rabbit

標識 SureLight® APC. Ex: 652nm, Em: 657nm

アプリケーション 適用あり: Sandwich ELISA, Flow Cyt

種交差性 交差種: Species independent

免疫原 V5 peptide conjugated to a carrier molecule.

特記事項 Excitation maximum: 650 nm Emission maximum: 660 nm

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C. Store In the Dark.

バッファー pH: 7.40

Preservative: 0.013% Sodium azide

Constituents: 0.1% BSA, 0.87% Sodium chloride, 1.64% Sodium phosphate

精製度 Size exclusion

特記事項(精製) Size exclusion chromatography as well as some proprietary methods for purifying the final

materials were used.

ポリ/モノ ポリクローナル

アイソタイプ lgG

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab72560の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


アプリケーション	Abreviews	特記事項
Sandwich ELISA		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent concentration.

ターゲット情報

関連性


The V5 epitope tag is derived from a small epitope (Pk) present on the P and V proteins of the paramyxovirus of simian virus 5 (SV5). The V5 tag is usually used with all 14 amino acids (GKPIPNPLLGLDST), although it has also been used with a shorter 9 amino acid sequence (IPNPLLGLD).

画像



Flow Cytometry - SureLight® APC Anti-V5 tag antibody (ab72560)

Flow cytometry analysis of a recombinant (N-terminus V5-tag) transmembrane cell surface receptor in CHO cells using ab72560 at a 1/20 dilution (red). Black - Mouse IgG SureLight[®] Allophycocyanin isotype control.



Curve generated from a streptavidin-coated 96-well plate probed with dilutions of biotinylated V5-tagged peptide and read after a 2 hour incubation at room temperature with ab72560.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors