abcam

Product datasheet

Anti-TBC1D12 antibody ab122453

画像数 2

製品の概要

製品名 Anti-TBC1D12 antibody

製品の詳細 Rabbit polyclonal to TBC1D12

由来種 Rabbit

アプリケーション 適用あり: IHC-P, ICC/IF

種交差性 交差種: Human

免疫原 antigen sequence, corresponding to amino acids 264-371 of Human TBC1D12.

ポジティブ・コントロール Human kidney tissue.

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

バッファー pH: 7.20

Preservative: 0.02% Sodium azide

Constituents: 40% Glycerol (glycerin, glycerine), 59% PBS

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

アイソタイプ lgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab122453の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

1


アプリケーション	Abreviews	特記事項
IHC-P		1/20 - 1/50. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
ICC/IF		Use a concentration of 0.25 - 2 µg/ml.

ターゲット情報


機能 May act as a GTPase-activating protein for Rab family protein(s).

配列類似性 Contains 1 Rab-GAP TBC domain.

画像



Immunocytochemistry/ Immunofluorescence - Anti-TBC1D12 antibody (ab122453) Immunofluorescent staining of Human cell line U-2 OS shows positivity in nucleus but not nucleoli. Recommended concentration of ab122453 1-4 μ g/ml. Cells treated with PFA/Triton X-100.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-TBC1D12 antibody (ab122453)

ab122453, at 1/20 dilution, staining TBC1D12 in paraffin embedded Human kidney tissue by Immunohistochemistry.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors