# abcam

### Product datasheet

## Anti-TCTN1 antibody ab105381

2 References 画像数 1

#### 製品の概要

製品名 Anti-TCTN1 antibody

製品の詳細 Rabbit polyclonal to TCTN1

由来種 Rabbit

 アプリケーション
 適用あり: WB

 種交差性
 交差種: Mouse

免疫原 15 amino acid synthetic peptide near the N-terminus of Human TCTN1 (NP\_001076007).

ポジティブ・コントロール WB: Mouse kidney tissue lysate.

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at 4°C (stable for up to 12 months). Store at -20°C or -80°C.

**バッファー** pH: 7.2

Preservative: 0.02% Sodium azide

Constituent: PBS

精製度 Immunogen affinity purified

**ポリ/モノ** ポリクローナル

アイソタイプ IgG

#### アプリケーション

**The Abpromise guarantee** <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab105381の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

1

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 1 - 2 μg/ml. Predicted molecular weight: 64 kDa.


#### ターゲット情報

機能
Regulator of Hedgehog (Hh), required for both activation and inhibition of the Hh pathway in the patterning of the neural tube. During neural tube development, it is required for formation of the most ventral cell types and for full Hh pathway activation. Functions in Hh signal transduction to fully activate the pathway in the presence of high Hh levels and to repress the pathway in the absence of Hh signals. Modulates Hh signal transduction downstream of SMO and RAB23.

配列類似性
Belongs to the tectonic family.

細胞内局在
Secreted.

#### 画像



Lane 1: Anti-TCTN1 antibody (ab105381) at 1 µg/ml

**Lane 2**: Anti-TCTN1 antibody (ab105381) at 2  $\mu$ g/ml

All lanes: Mouse kidney tissue lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 64 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

Guarantee only valid for products bought direct from Abcam or one of our authorized distributors				
		3		