

Anti-Tenascin-N antibody ab121887

★★★★★ [1 Abreviews](#) [画像数 4](#)

製品の概要

製品名	Anti-Tenascin-N antibody
製品の詳細	Rabbit polyclonal to Tenascin-N
由来種	Rabbit
アプリケーション	適用あり: IHC-P
種交差性	交差種: Human
免疫原	antigen sequence: KEQQVTVSHT YKIDVPKSAL VQVDADPQPL SDDGASLLAL GEAREEQNII FRHNIRLQTP QKDCELAGSV QDLLARVKKL EEEMVEMKEQ CSA, corresponding to amino acids 36-128 of Human Tenascin-N. (Q9UQP3) Run BLAST with ExPASy Run BLAST with NCBI
ポジティブ・コントロール	IHC-P: Human breast, salivary gland, prostate and cerebral cortex tissues.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	pH: 7.20 Preservative: 0.02% Sodium azide Constituents: 40% Glycerol (glycerin, glycerine), 59% PBS
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee

Abpromise保証は、次のテスト済みアプリケーションにおけるab121887の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-P	★★★★★ (1)	1/200 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.


ターゲット情報

機能 Involved in neurite outgrowth and cell migration in hippocampal explants.

配列類似性 Belongs to the tenascin family.
Contains 3 EGF-like domains.
Contains 1 fibrinogen C-terminal domain.
Contains 9 fibronectin type-III domains.


細胞内局在 Secreted > extracellular space > extracellular matrix.

画像




Immunohistochemical analysis of human breast tissue labeling Tenascin-N with ab121887 at a 1:500 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Tenascin-N antibody (ab121887)




Immunohistochemical analysis of human salivary gland tissue labeling Tenascin-N with ab121887 at a 1:500 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Tenascin-N antibody (ab121887)



Immunohistochemical analysis of human prostate tissue labeling Tenascin-N with ab121887 at a 1:500 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Tenascin-N antibody (ab121887)



Immunohistochemical analysis of human cerebral cortex tissue labeling Tenascin-N with ab121887 at a 1:500 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Tenascin-N antibody (ab121887)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors