abcam

Product datasheet

Anti-Tex14 antibody ab41733

***** 4 Abreviews 4 References 画像数 1

製品の概要

製品名 Anti-Tex14 antibody

製品の詳細 Rabbit polyclonal to Tex14

由来種 Rabbit

アプリケーション 適用あり: IHC - Wholemount

種交差性 交差種: Mouse

免疫原 Synthetic peptide conjugated to KLH derived from within residues 950 - 1050 of Mouse

Tex14.lmmunogen の所有権に関して(Peptide available as ab42412.)

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

バッファー pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

Batches of this product that have a concentration < 1mg/ml may have BSA added as a stabilising

agent. If you would like information about the formulation of a specific lot, please contact our

scientific support team who will be happy to help.

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

アイソタイプ lgG

1

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab41733の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC - Wholemount	★★★★★ (2)	Use at an assay dependent concentration.

ターゲット情報


関連性

Testis-expressed gene 14 (TEX14) is a novel protein that localizes to germ cell intercellular bridges. In the absence of TEX14, intercellular bridges are not observed. Spermatogenesis in Tex14–/– mice progresses through the transit amplification of diploid spermatogonia and the expression of early meiotic markers but halts before the completion of the first meiotic division.

細胞内局在

Cytoplasmic

画像



This antibody appears to stain intercellular bridges between germ cells, as it should. TEX14 staining is present within the testis cords between between DDX4 positive cells (germ cells), but is absent between DDX4 negative cells (Sertoli cells).

Postnatal day 6 mouse testes were fixed with 4% paraformaldehyde for 5 hours at 4°C, then washed overnight in PBS at 4°C. Testes were detunicated and cut in half, then permeabilized with 0.1% Triton X-100 in PBS for 30 min at 20°C, then blocked with 3% BSA with 0.1% Triton X-100 in PBS for 1 hour at 20°C. Sections were incubated with Rabbit Anti-Tex14 (Abcam ab41733) diluted 1/3000 plus Goat Anti-DDX4 diluted 1/800 for 14 hours at 4°C. Tissue was then washed 3X for 30 min each with 0.1% Triton X-100 in PBS. Tissue was then incubated with Donkey Anti-Rabbit 555 (Abcam ab150062) plus Donkey Anti-Goat 647 (Abcam ab150155) diluted 1/500 for 3 hours at 20°C. with Abcam DAPI after washing 3X with 0.1% Triton X-100 in PBS. Tissue was then incubated with Fluoroshield Mounting Medium With DAPI (Abcam ab104139) with mounted onto a slide and coverslipped. Tissue was imaged on an Olympus FV 1000 confocal microscope and represented as a maximum intensity Z-projection of a 5 µM thick Zstack.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors