abcam

Product datasheet

Anti-TFIIB antibody [EPR4589] ab109106

יולדערוי RabMAb

3 References 画像数 2

製品の概要

製品名 Anti-TFIIB antibody [EPR4589]

製品の詳細 Rabbit monoclonal [EPR4589] to TFIIB

由来種 Rabbit

アプリケーション **適用あり:** WB

適用なし: Flow Cyt,ICC/IF or IHC-P

種交差性 交差種: Mouse, Rat, Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール HepG2, HeLa, Jurkat, K562, C6, RAW 264.7, and PC12 cell lysates.

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

バッファー pH: 7.20

Preservative: 0.05% Sodium azide

Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue

culture supernatant

精製度 Protein A purified

ポリ/モノ モノクローナル クローン名 **EPR4589**

アイソタイプ ΙgG

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab109106の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/1000 - 1/10000. Predicted molecular weight: 35 kDa.

追加情報 Is unsuitable for Flow Cyt,ICC/IF or IHC-P.

ターゲット情報

機能 General factor that plays a major role in the activation of eukaryotic genes transcribed by RNA


polymerase II.

配列類似性 Belongs to the TFIIB family.

Contains 1 TFIIB-type zinc finger.

細胞内局在 Nucleus.

画像



Western blot - Anti-TFIIB antibody [EPR4589]

(ab109106)

All lanes : Anti-TFIIB antibody [EPR4589] (ab109106) at 1/1000

dilution

Lane 1: HepG2 cell lysate

Lane 2 : HeLa cell lysate

Lane 3: Jurkat cell lysate

Lane 4: K562 cell lysate

Lane 5: C6 cell lysate

Lane 6: RAW 264.7 cell lysate

Lane 7: PC12 cell lysate

Lysates/proteins at 10 µg per lane.

Predicted band size: 35 kDa



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors