abcam

Product datasheet

Anti-TMEM116 antibody ab122663

画像数 5

製品の概要

製品名 Anti-TMEM116 antibody

Rabbit polyclonal to TMEM116 製品の詳細

由来種 Rabbit

アプリケーション 適用あり: IHC-P, ICC/IF

種交差性 交差種: Human

antigen sequence: GNTSECFQNF SQSHKCILMH SPPSAMAELP PSANTSVCS, 免疫原

corresponding to internal sequence amino acids 44-82 of Human TMEM116.

ポジティブ・コントロール

特記事項

Human gastrointestinal tissue.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies

and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or

contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

バッファー pH: 7.20

Preservative: 0.02% Sodium azide

Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine)

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

アイソタイプ lgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab122663の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


アプリケーション	Abreviews	特記事項
IHC-P		1/50 - 1/200. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
ICC/IF		Use a concentration of 0.25 - 2 µg/ml.

ターゲット情報

細胞内局在


Membrane.

画像



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-TMEM116 antibody (ab122663)

Immunohistochemical analysis of human testis tissue labelled for TMEM116 using ab122663. Positive membranous staining observed in seminiferous duct cells.




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-TMEM116 antibody (ab122663)

Immunohistochemical analysis of human gastrointestinal tissue labelled for TMEM116 using ab122663. Positive membranous staining observed in glandular cells.




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-TMEM116 antibody (ab122663)

Immunohistochemical analysis of human stomach tissue labelled for TMEM116 using ab122663. Positive membranous staining observed in glandular cells.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-TMEM116 antibody (ab122663)

Immunohistochemical analysis of human fallopian tube tissue labelled for TMEM116 using ab122663. Positive membranous staining observed in glandular cells.



Immunocytochemistry/ Immunofluorescence - Anti-TMEM116 antibody (ab122663)

Immunofluorescent staining of Human cell line A-431 shows positivity in nucleus but not nucleoli and cytoskeleton (microtubules). Recommended concentration of ab122663 1-4 μ g/ml. Cells treated with PFA/Triton X-100.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

Guarantee only valid for products bought direct from Abcam or one of our authorized distributors