


### Anti-TNFRSF19L antibody ab96220

3 References [画像数 2](#)

医薬用外劇物

#### 製品の概要

製品名	Anti-TNFRSF19L antibody
製品の詳細	Rabbit polyclonal to TNFRSF19L
由来種	Rabbit
アプリケーション	<b>適用あり:</b> WB, IHC-P
種交差性	<b>交差種:</b> Human <b>交差が予測される動物種:</b> Mouse, Rat 
免疫原	Recombinant fragment, corresponding to a region within amino acids 35-366 of Human TNFRSF19L (NP_116260)
ポジティブ・コントロール	293T, A431, H1299, HepG2, MOLT4 and Raji cell lysate. HeLaS3 whole cell lysate. U87 xenograft tissue.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	<p>pH: 7.00</p> <p>Preservative: 0.01% Thimerosal (merthiolate)</p> <p>Constituents: 1.21% Tris, 0.75% Glycine, 10% Glycerol (glycerin, glycerine)</p>
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

## アプリケーション


**The Abpromise guarantee** Abpromise保証は、次のテスト済みアプリケーションにおけるab96220の使用に適用されます  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/3000. Predicted molecular weight: 46 kDa.
IHC-P		1/100 - 1/500.

## ターゲット情報

機能	Mediates activation of NF-kappa-B. May play a role in T-cell activation.
組織特異性	Highest levels are in spleen, lymph node, thymus, peripheral blood leukocytes, bone marrow and fetal liver. Very low levels in skeletal muscle, testis and colon. Not detected in brain, kidney and pancreas.
配列類似性	Belongs to the RELT family. Contains 1 TNFR-Cys repeat.
翻訳後修飾	Phosphorylated in vitro by OXSR1.
細胞内局在	Cell membrane. Cytoplasm.


## 画像



Anti-TNFRSF19L antibody (ab96220) at 1/1000 dilution + HeLa S3 whole cell lysate at 30 µg

**Predicted band size:** 46 kDa

10% SDS PAGE



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-TNFRSF19L antibody (ab96220)

ab96220 at 1/100 dilution staining TNFRSF19L in paraffin-embedded U87 xenograft sections by Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections).

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors