abcam

Product datasheet

Anti-TRIC-B antibody ab106401

画像数1

製品の概要

製品名 Anti-TRIC-B antibody

製品の詳細 Rabbit polyclonal to TRIC-B

由来種 Rabbit

特異性 ab106401 will not cross-react with TMEM38A.

 アプリケーション
 適用あり: WB

 種交差性
 交差種: Rat

免疫原 Synthetic peptide corresponding to Human TRIC-B (C terminal).

Database link: NP_060582

ポジティブ・コントロール WB: Rat thymus tissue lysate.

...,

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

特記事項

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

バッファー pH: 7.2

Preservative: 0.02% Sodium azide

Constituent: PBS

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

アイソタイプ lgG

アプリケーション

The Abpromise guarantee

Abpromise保証は、次のテスト済みアプリケーションにおけるab106401の使用に適用されます


アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 1 - 2 µg/ml. Predicted molecular weight: 33 kDa.

ターゲット情報

機能	Monovalent cation channel required for maintenance of rapid intracellular calcium release. May act as a potassium counter-ion channel that functions in synchronization with calcium release from intracellular stores.
配列類似性	Belongs to the TMEM38 family.
ドメイン	The second transmembrane domain has been proposed to cross only half of the lipid bilayer and to loop back into the cytosol, so that the domains on each side of this domain are both found on the cytosolic face of the membrane. The cytosolic loop may form an ion-conducting pore.
細胞内局在	Endoplasmic reticulum membrane.

画像



Lane 1 : Anti-TRIC-B antibody (ab106401) at 1 μg/ml **Lane 2 :** Anti-TRIC-B antibody (ab106401) at 2 μg/ml

All lanes: Rat thymus tissue lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 33 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors