# abcam

# Product datasheet

# Anti-UGT1A9 antibody ab88517

★★★★★ 1 Abreviews 1 References 画像数 3

#### 製品の概要

製品名 Anti-UGT1A9 antibody

製品の詳細 Mouse polyclonal to UGT1A9

由来種 Mouse

アプリケーション 適用あり: WB, IHC-P

種交差性 交差種: Human

免疫原 Recombinant full length protein within Human UGT1A9 aa 1-550. The exact immunogen sequence

used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please **contact** our Scientific

Support team to discuss your requirements.

ポジティブ・コントロール Human liver tissue lysate Transfected 293T cell lysate Human small intestine tissue

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

**バッファー** pH: 7.40

Constituent: 100% PBS

精製度 Protein A purified

**ポリ/モノ** ポリクローナル

アイソタイプ IgG

アプリケーション

1

## The Abpromise guarantee

Abpromise保証は、次のテスト済みアプリケーションにおけるab88517の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB	<b>★★★★☆ (1)</b>	Use a concentration of 1 µg/ml. Predicted molecular weight: 60 kDa.
IHC-P		Use a concentration of 3 µg/ml.

#### ターゲット情報


機能 UDPGT is of major importance in the conjugation and subsequent elimination of potentially toxic

xenobiotics and endogenous compounds. This isoform has specificity for phenols.

組織特異性 Liver.

配列類似性
Belongs to the UDP-glycosyltransferase family.
細胞内局在
Microsome. Endoplasmic reticulum membrane.

#### 画像




Anti-UGT1A9 antibody (ab88517) at 1  $\mu$ g/ml + Human liver tissue lysate at 50  $\mu$ g

#### Secondary

Goat anti-mouse IgG at 1/5000 dilution

Predicted band size: 60 kDa



All lanes: Anti-UGT1A9 antibody (ab88517) at 1 µg/ml

Lane 1: UGT1A9 transfected 293T cell lysate


Lane 2: Untransfected 293T cell lysate

Lysates/proteins at 25 µg per lane.

### Secondary

**All lanes :** Goat anti-mouse IgG at 1/5000 dilution

**Predicted band size:** 60 kDa **Observed band size:** 58 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-UGT1A9 antibody (ab88517)

Immunoperoxidase staining of Human small intestine tissue using ab88517 at 3  $\mu g/ml$ 

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

# Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors