# abcam

## Product datasheet

## Anti-VSV-G tag antibody ab83196

★★★★★ 3 Abreviews 画像数 1

#### 製品の概要

製品名 Anti-VSV-G tag antibody

製品の詳細 Rabbit polyclonal to VSV-G tag

由来種 Rabbit

アプリケーション **適用あり**: WB

種交差性 交差種: Species independent

免疫原 Full length protein corresponding to VSV-G tag aa 1 to the C-terminus.

Database link: P04884

特記事項 0.2 μ filtered

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at 4°C (up to 6 months). Store at -20°C.

バッファー Constituent: PBS

精製度 Whole antiserum

**ポリ/モノ** ポリクローナル

アイソタイプ IgG

## アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab83196の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB	****(1)	Use at an assay dependent dilution. Predicted molecular weight: 10 kDa.

#### ターゲット情報

#### 関連性

Vesicular stomatitis virus (VSV), an enveloped RNA virus from the Rhabdoviridae family, is released from the plasma membrane of host cells by a process called budding. The glycoprotein (VSV-g) contains a domain in its extracellular membrane proximal stem that appears to be needed for efficient VSV budding.

#### 画像




Image is courtesy of an anonymous AbReview.

All lanes: Anti-VSV-G tag antibody (ab83196) at 1/1000 dilution

**Lane 1**: Human HEK293 cells transfected with pMD2.G (VSVG encoding construct) whole cell lysate (labelled +VSVG)

Lane 2: Human HEK293 mock transfected (labelled -VSVG)

Lysates/proteins at 10 µg per lane.

### **Secondary**

**All lanes :** Goat anti-rabbit polyclonal HRP conjugate at 1/10000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

Predicted band size: 10 kDa

Exposure time: 10 seconds

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors