abcam

Product datasheet

Anti-WIZ antibody ab92334

画像数1

製品の概要

製品名 Anti-WIZ antibody

製品の詳細 Goat polyclonal to WIZ

由来種 Goat

特異性 ab92334 detects isoform 2 WIZ

アプリケーション **適用あり:** WB

種交差性 交差種: Human

交差が予測される動物種: Mouse, Rat 🔷

免疫原 Synthetic peptide:

RSYIQGGRPFTKKFR

, with a Cysteine residue linker corresponding to internal sequence amino acids 596-610 of

Human WIZ isoform 2 UniProt ID O95785-2.

Run BLAST with Run BLAST with

ポジティブ・コントロール

特記事項

Human Cerebellum lysate

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.

バッファー pH: 7.30

Preservative: 0.02% Sodium azide

Constituents: Tris buffered saline, 0.5% BSA

精製度 Immunogen affinity purified

特記事項(精製) Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity

chromatography using the immunizing peptide.

1

アイソタイプ ΙgG

アプリケーション


The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab92334の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 0.3 - 1 µg/ml. Predicted molecular weight: 179 kDa. 1 hour primary incubation is recommended for this product.

ターゲット情報

機能	May link EHMT1 and EHMT2 histone methyltransferases to the CTBP corepressor machinery. May be involved in EHMT1-EHMT2 heterodimer formation and stabilization.
配列類似性	Belongs to the krueppel C2H2-type zinc-finger protein family. Contains 11 C2H2-type zinc fingers.
ドメイン	The C2H2-type zinc finger 11 mediates interaction with EHMT1 and EHMT2.
細胞内局在	Nucleus.

画像



Western blot - Anti-WIZ antibody (ab92334)

All lanes: Anti-WIZ antibody (ab92334) at 1 µg/ml

Lane 1: Human Cerebellum lysate in RIPA buffer

Lane 2: Human Cerebellum lysate in RIPA buffer with Blocking

peptide

Lysates/proteins at 35 µg per lane.

Developed using the ECL technique.

Predicted band size: 179 kDa

Detected by chemiluminescence.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors