

Anti-Xenotropic MuLV-related virus antibody ab111014

画像数 1

製品の概要

製品名	Anti-Xenotropic MuLV-related virus antibody
製品の詳細	Rabbit polyclonal to Xenotropic MuLV-related virus
由来種	Rabbit
アプリケーション	適用あり: IHC-P
種交差性	交差種: Xenotropic MuLV-related virus
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
ポジティブ・コントロール	Prostate carcinoma with Xenotropic MuLV-related virus infection.
特記事項	<p>This product is FOR RESEARCH USE ONLY. For commercial use, please contact partnerships@abcam.com.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	<p>pH: 7.60</p> <p>Preservative: 0.1% Sodium azide</p> <p>Constituents: PBS, 1% BSA</p>
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション


The Abpromise guarantee **Abpromise保証は、**次のテスト済みアプリケーションにおけるab111014の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-P		1/100. Boil tissue section in EDTA buffer for 10 min followed by cooling at RT for 20 min.

ターゲット情報

関連性 Xenotropic murine leukemia virus-related virus (XMRV) is a newly recognized human retrovirus first identified in prostate cancer tissues from men with a deficiency in the innate immunity gene RNASEL. At present, studies have detected XMRV DNA and protein in prostate cancer at widely different rates and in patients with chronic fatigue syndrome. The XMRV protein is synthesized in the Golgi by host cells.

画像



ab111014 at 1/100 dilution staining Xenotropic MuLV-related virus in Formalin-fixed, paraffin-embedded Human prostate adenocarcinoma by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Xenotropic MuLV-related virus antibody (ab111014)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors